

Mouse Monoclonal Antibody to

E-Cadherin


clone 22F8

biotinylated

Order No.: 0234-100BIOTIN/ECAD-22F8

Size (µg) 100

Lot No.: 0234S



03/220207F

Isotype:	Species Reactivity	Applications	Mol. Weight	Ref. Cell Line	Epitope:	Immunogen:
IgG1	human	WB	124 kDa	A431	cytoplasmic domain	peptide conjugated to hemocyanin

Background and Specificity:

Cadherins are a family of transmembrane glycoproteins that play a key role in calcium-dependent cell-cell adhesion. Several members of the cadherin family have been identified so far, including E- (epithelial), P- (placental), N- (neuronal), and M- (muscle) cadherin. E-cadherin is expressed in most epithelial tissues.

Mab ECAD-22F8 specifically recognizes E-cadherin at 124 kDa.

Related Products

mab to human M-cadherin
#0124-100/MCAD-21G4

mab to mouse M-cadherin
#0106-100/MCAD-12G4

mab to N-cadherin
#0235-100/NCAD-7E9

mab to Vimentin
#0236-100/Vim-11H6

For monoclonal antibodies against beta-catenin, TFF3, and LEF, please refer to our website at www.nanotools.de

Purification: The antibody was purified from serum-free cell culture supernatant by subsequent ultrafiltration and size exclusion chromatography.

Formulation: liquid; 0.5 mg/ml in PBS/0.09% Na-Azide/PEG and Sucrose

Reconstitution:

Stability: Aliquote and freeze in liquid nitrogen; antibody can be stored frozen at -80°C up to 1 year. Thaw aliquots at 37°C. Thawed aliquots may be stored at 4°C up to 3 months.

Avoid repeated freeze / thaw cycles.

Positive Control: #0831: Cell lysate from untreated A431 cells

Immunoblotting: 0.5 µg/ml for HRPO/ECL detection
Recommended blocking buffer: Casein/Tween 20 based blocking and blot incubation buffer, e.g. nanoTools product #3031-500/CPPT or #3031-3000/CPPT.

Immunoprecipitation ND

Immunocytochemistry ND

ELISA: ND

All products are supplied for research and investigational use only. Not for use in humans or laboratory animals.