

## Anti-LACTOPEROXIDASE (Bovine Milk) (SHEEP) Antibody - 100-601-146

**Code:** 100-601-146

**Size:** 2 mL

**Product Description:** Anti-LACTOPEROXIDASE (Bovine Milk) (SHEEP) Antibody - 100-601-146

**Concentration:** 90 mg/mL by Refractometry

**PhysicalState:** Lyophilized

<b>Label</b>	Unconjugated
<b>Host</b>	Sheep
<b>Gene Name</b>	LPO
<b>Species Reactivity</b>	bovine (Bos Taurus)
<b>Buffer</b>	0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2
<b>Reconstitution Volume</b>	2.0 mL
<b>Reconstitution Buffer</b>	Restore with deionized water (or equivalent)
<b>Stabilizer</b>	None
<b>Preservative</b>	0.01% (w/v) Sodium Azide
<b>Storage Condition</b>	Store vial at 4° C prior to restoration. For extended storage aliquot contents and freeze at -20° C or below. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room temperature. This product is stable for several weeks at 4° C as an undiluted liquid. Dilute only prior to immediate use.
<b>Synonyms</b>	sheep anti-Lactoperoxidase Antibody, Lactoperoxidase, LPO
<b>Application Note</b>	Anti-Lactoperoxidase is suitable for use in ELISA, western blot, and immunoprecipitation. Specific conditions for reactivity should be optimized by the end user.
<b>Background</b>	Lactoperoxidase is an antimicrobial agent which utilizes hydrogen peroxide and thiocyanate (SCN) to generate the antimicrobial substance hypothiocyanous acid (HOSCN). It may protect the udder from infection and promote growth in newborn calves. It inhibits growth of the following bacterial species: E.coli, K.pneumoniae, P.aeruginosa, S.sonnei, S.saphrophyticus, S.epidermidis, and S.dysenteriae.
<b>Purity And Specificity</b>	This product was prepared from monospecific antiserum by a delipidation and defibrination. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-sheep serum, purified and partially purified Lactoperoxidase [Bovine Milk]. Cross reactivity against Lactoperoxidase from other tissues and species may occur but have not been specifically determined.
<b>Assay Dilutions</b>	User Optimized
<b>ELISA</b>	1:18,000 - 1:75,000
<b>Western Blot</b>	1:2,000 - 1:10,000
<b>Other Assays</b>	User Optimized
<b>Expiration</b>	Expiration date is one (1) year from date of opening.
<b>Immunogen</b>	Lactoperoxidase [Bovine Milk]
<b>Related Products</b>	
100-1138	Anti-PEROXIDASE (Horseradish) (GOAT) Antibody - 100-1138
200-4638	Anti-PEROXIDASE (Horseradish) (RABBIT) Antibody Biotin Conjugated - 200-4638
610-4302	Anti-MOUSE IgG (H&L) (RABBIT) Antibody Peroxidase Conjugated - 610-4302
611-1302	Anti-RABBIT IgG (H&L) (GOAT) Antibody Peroxidase Conjugated - 611-1302

**Related Links**

UniProtKB - P80025

<http://www.uniprot.org/uniprot/P80025>

NCBI - P80025.1 <http://www.ncbi.nlm.nih.gov/protein/P80025.1>

GeneID - 280844

## Images

- 1 Rockland Sheep anti Lactoperoxidase antibody (200-601-146 lot 5243) was used to detect Lactoperoxidase under reducing (R) and non-reducing (NR) conditions. Reduced samples of purified target proteins contained 4% BME and were boiled for 5 minutes. Samples of ~1ug of protein per lane were run by SDS-PAGE. Protein was transferred to nitrocellulose and probed with 1:3000 dilution of primary antibody (ON 4 C in MB-070). Detection shown was using Dylight 488 conjugated secondary antibody (605-741-125 lot 21094 1:10K in TBS/MB-070 1 hr RT). Images were collected using the BioRad VersaDoc System



## Disclaimer

This product is for research use only and is not intended for therapeutic or diagnostic applications. Please contact a technical service representative for more information. All products of animal origin manufactured by Rockland Immunochemicals are derived from starting materials of North American origin. Collection was performed in United States Department of Agriculture (USDA) inspected facilities and all materials have been inspected and certified to be free of disease and suitable for exportation. All properties listed are typical characteristics and are not specifications. All suggestions and data are offered in good faith but without guarantee as conditions and methods of use of our products are beyond our control. All claims must be made within 30 days following the date of delivery. The prospective user must determine the suitability of our materials before adopting them on a commercial scale. Suggested uses of our products are not recommendations to use our products in violation of any patent or as a license under any patent of Rockland Immunochemicals, Inc. If you require a commercial license to use this material and do not have one, then return this material, unopened to: Rockland Inc., P.O. BOX 5199, Limerick, Pennsylvania, USA.