

**F(ab')<sub>2</sub> Anti-HUMAN (kappa chain) (GOAT) Antibody Peroxidase Conjugated - 709-1310**
**Code:** 709-1310

**Size:** 1 mg

**Product Description:** F(ab')<sub>2</sub> Anti-HUMAN (kappa chain) (GOAT) Antibody Peroxidase Conjugated - 709-1310

**Concentration:** 1.0 mg/mL by UV absorbance at 280 nm

**PhysicalState:** Lyophilized

<b>Label</b>	Peroxidase (Horseradish)
<b>Host</b>	Goat
<b>Buffer</b>	0.125 M Sodium Borate, 0.075 M Sodium Chloride, 0.005 M EDTA, pH 8.0
<b>Reconstitution Volume</b>	1.0 mL
<b>Reconstitution Buffer</b>	Restore with deionized water (or equivalent)
<b>Stabilizer</b>	10 mg/mL Bovine Serum Albumin (BSA) - Immunoglobulin and Protease free
<b>Preservative</b>	0.01% (w/v) Thimerosal
<b>Storage Condition</b>	Store vial at 4° C prior to restoration. For extended storage aliquot contents and freeze at -20° C or below. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room temperature. This product is stable for several weeks at 4° C as an undiluted liquid. Dilute only prior to immediate use.
<b>Synonyms</b>	Goat F(ab') <sub>2</sub> Anti-Human (kappa chain) Antibody Peroxidase Conjugation, Goat F(ab') <sub>2</sub> Anti-Human kappa chain HRP Conjugated Antibody
<b>Application Note</b>	F(ab') <sub>2</sub> Anti-human kappa chain has been assayed against 1.0 ug of human kappa light chain in a standard capture ELISA using ABTS (2,2'-azino-bis-[3-ethylbenthiiazoline-6-sulfonic acid]) code # ABTS-100 as a substrate for 30 minutes at room temperature. A working dilution of 1:2,000 to 1:8,000 of the reconstitution concentration is suggested for this product.
<b>Background</b>	F(ab') <sub>2</sub> anti-Human (kappa chain) antibody generated in goat detects specifically Human IgG kappa chain. This secondary antibody anti-Human is ideal for investigators who routinely perform titration assays, western-blot, immunoprecipitation and more generally immunoassays.  F(ab') <sub>2</sub> Anti-Human (kappa chain) Antibody is ideal for investigators in Immunology, Cancer, and Microbiology research.
<b>Purity And Specificity</b>	F(ab') <sub>2</sub> Anti-Human (kappa chain) Antibody was prepared from monospecific antiserum by immunoaffinity chromatography using Human antigens coupled to agarose beads followed by solid phase adsorption(s) to remove any unwanted reactivities, pepsin digestion and chromatographic separation. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-Peroxidase and anti-Goat Serum. No reaction was observed against anti-Pepsin or anti-Goat IgG F(c). Specificity was confirmed by ELISA at less than 1% cross reactivity against other human heavy or light chain isotypes.
<b>Assay Dilutions</b>	User Optimized
<b>ELISA</b>	1:50,000
<b>Western Blot</b>	1:2,000 - 1:10,000
<b>Immunohistochemistry</b>	1:1,000 - 1:5,000
<b>Other Assays</b>	User Optimized
<b>Expiration</b>	Expiration date is one (1) year from date of opening.
<b>Immunogen</b>	Human kappa light chain
<b>General Reference</b>	Janeway, Jr., Travers, Walport, and Shlomchik. "The Immune System in Health and Disease." Immunobiology, 5th Edition: Garland Science: 2001.
<b>Related Products</b>	
	309-1202 F(ab') <sub>2</sub> Anti-HUMAN IgG (H&L) (GOAT) Antibody Fluorescein Conjugated - 309-1202
	709-1017 F(ab') <sub>2</sub> Anti-HUMAN IgG F(c) (GOAT) Antibody Rhodamine Conjugated Min X Bv Hs Ms & Rt Serum Proteins - 709-1017

709-1018	F(ab') <sub>2</sub> Anti-HUMAN IgG F(ab') <sub>2</sub> (GOAT) Antibody Rhodamine Conjugated Min X Bv Hs Ms & Rt Serum Proteins - 709-1018
709-1031	F(ab') <sub>2</sub> Anti-HUMAN IgM Fc5&#181; (GOAT) Antibody Rhodamine Conjugated - 709-1031

### **Disclaimer**

This product is for research use only and is not intended for therapeutic or diagnostic applications. Please contact a technical service representative for more information. All products of animal origin manufactured by Rockland Immunochemicals are derived from starting materials of North American origin. Collection was performed in United States Department of Agriculture (USDA) inspected facilities and all materials have been inspected and certified to be free of disease and suitable for exportation. All properties listed are typical characteristics and are not specifications. All suggestions and data are offered in good faith but without guarantee as conditions and methods of use of our products are beyond our control. All claims must be made within 30 days following the date of delivery. The prospective user must determine the suitability of our materials before adopting them on a commercial scale. Suggested uses of our products are not recommendations to use our products in violation of any patent or as a license under any patent of Rockland Immunochemicals, Inc. If you require a commercial license to use this material and do not have one, then return this material, unopened to: Rockland Inc., P.O. BOX 5199, Limerick, Pennsylvania, USA.