



F(ab')2 Anti-RABBIT IgG F(ab')2 (GOAT) Antibody Fluorescein Conjugated Min X Bv Hs Hu Ms Rt & Sh Serum Proteins - 711-1224

Code: 711-1224

Size: 500 µg

Product Description: F(ab')2 Anti-RABBIT IgG F(ab')2 (GOAT) Antibody Fluorescein Conjugated Min X Bv Hs Hu Ms Rt & Sh Serum Proteins - 711-1224

Concentration: 1.0 mg/mL by UV absorbance at 280 nm


Physical State: Lyophilized

| | |
|-------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Label | Fluorescein (FITC) |
| Host | Goat |
| Emission Wavelength | 528 |
| Excitation Wavelength | 495 |
| Buffer | 0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2 |
| Reconstitution Volume | 500 µL |
| Reconstitution Buffer | Restore with deionized water (or equivalent) |
| Stabilizer | 10 mg/mL Bovine Serum Albumin (BSA) - Immunoglobulin and Protease free |
| Preservative | 0.01% (w/v) Sodium Azide |
| Storage Condition | Store vial at 4° C prior to restoration. For extended storage aliquot contents and freeze at -20° C or below. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room temperature. This product is stable for several weeks at 4° C as an undiluted liquid. Dilute only prior to immediate use. |
| Synonyms | Goat F(ab')2 Anti-Rabbit IgG F(ab')2 Fluorescein Conjugated Antibody, Goat Fab2 Anti-Rabbit IgG Fab2 Antibody FITC Conjugation |
| Application Note | F(ab')2 Anti-Rabbit IgG F(ab')2 Fluorescein Antibody is designed for immunofluorescence microscopy, fluorescence based plate assays (FLISA) and fluorescent western blotting. This product is also suitable for multiplex analysis, including multicolor imaging, utilizing various commercial platforms. Suitable for immunomicroscopy and flow cytometry or FACS analysis as well as other antibody based fluorescent assays requiring extremely low background levels, absence of F(c) mediated binding, lot-to-lot consistency, high titer and specificity. |
| Background | F(ab')2 Anti-Rabbit IgG F(ab')2 Fluorescein Antibody generated in goat detects Rabbit F(ab')2. Representing approximately 75% of serum immunoglobulins, IgG is the most abundant antibody isotype found in the circulation. IgG molecules are synthesized and secreted by plasma B cells. Secondary Antibodies are available in a variety of formats and conjugate types. When choosing a secondary antibody product, consideration must be given to species and immunoglobulin specificity, conjugate type, fragment and chain specificity, level of cross-reactivity, and host-species source and fragment composition. F(ab')2 Antibody is ideal for investigators who routinely perform flow cytometry, immunohistochemistry or IHC and other immunoassays. |
| Purity And Specificity | This product was prepared from monospecific antiserum by immunoaffinity chromatography using Rabbit IgG coupled to agarose beads followed by solid phase adsorption(s) to remove any unwanted reactivities, pepsin digestion and chromatographic separation. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-Fluorescein, anti-Goat Serum, Rabbit IgG, Rabbit IgG F(ab')2 and Rabbit Serum. No reaction was observed against anti-Pepsin, anti-Goat IgG F(c), Rabbit IgG F(c) or Bovine, Horse, Human, Mouse, Rat and Sheep Serum Proteins. |
| Assay Dilutions | FLOW CYTOMETRY 1:500 - 1:2,500 |
| FLISA | 1:10,000 - 1:50,000 |
| IF Microscopy | 1:1,000 - 1:5,000 |
| Flow Cytometry | 1:500 - 1:2,500 |
| Other Assays | FLOW CYTOMETRY 1:500 - 1:2,500 |
| Expiration | Expiration date is one (1) year from date of opening. |
| Immunogen | Rabbit IgG F(ab')2 fragment |
| Related Products | |

| | |
|----------|-------------------------------------------------------------------------------|
| 610-4302 | Anti-MOUSE IgG (H&L) (RABBIT) Antibody Peroxidase Conjugated - 610-4302 |
| 611-1302 | Anti-RABBIT IgG (H&L) (GOAT) Antibody Peroxidase Conjugated - 611-1302 |
| B304 | NORMAL GOAT SERUM (NGS) - B304 |
| BSA-50 | BOVINE SERUM ALBUMIN - Fraction V (Immunoglobulin and Protease Free) - BSA-50 |

Images

- 1 Dot Blot of Rabbit IgG Fab2 Antibody Fluorescein Conjugated. Antigen: Rabbit IgG.Load: Lane 1 - 50 ng Lane 2 - 16.67 ng Lane 3 - 5.56 ng Lane 4 - 1.85 ng Lane 5 - 0.62 ng.Primary antibody: none.Secondary antibody: Rabbit IgG Fab2 Antibody Fluorescein Conjugated at 1:1,000 in MB-070 for 60 min at RT.Block: MB-070 for 60 min at RT.



Disclaimer

This product is for research use only and is not intended for therapeutic or diagnostic applications. Please contact a technical service representative for more information. All products of animal origin manufactured by Rockland Immunochemicals are derived from starting materials of North American origin. Collection was performed in United States Department of Agriculture (USDA) inspected facilities and all materials have been inspected and certified to be free of disease and suitable for exportation. All properties listed are typical characteristics and are not specifications. All suggestions and data are offered in good faith but without guarantee as conditions and methods of use of our products are beyond our control. All claims must be made within 30 days following the date of delivery. The prospective user must determine the suitability of our materials before adopting them on a commercial scale. Suggested uses of our products are not recommendations to use our products in violation of any patent or as a license under any patent of Rockland Immunochemicals, Inc. If you require a commercial license to use this material and do not have one, then return this material, unopened to: Rockland Inc., P.O. BOX 5199, Limerick, Pennsylvania, USA.