

Rabbit IgG-F(ab')₂ Fragment Antibody

F(ab')₂ Goat Polyclonal Conjugate HRP

Antigen Affinity Purified

Catalog No. A120-112P

Lot No. 14

APPLICATIONS WB, IHC, ICC, ELISA

SPECIES REACTIVITY Rabbit

AMOUNT 1 ml

CONCENTRATION 0.5 mg/ml

STORAGE/SHELF LIFE 2 – 8°C / 1 year from date of receipt

PHYSICAL STATE Liquid

BUFFER Phosphate Buffered Saline (PBS) containing 0.2% BSA and 0.05% Pro-Clean 400

ISOTYPE IgG

ORIGIN USA

PRODUCTION PROCEDURES Antiserum was solid phase adsorbed to ensure specificity. The antibody to rabbit IgG-F(ab')₂ was isolated by affinity chromatography using antigen coupled to agarose beads. F(ab')₂ fragments were generated using a pepsin digestion. Fc fragments and whole IgG were removed. F(ab')₂ fragments were conjugated to horseradish peroxidase (HRP).

Immunoglobulin concentration was determined using Beer's Law where 1 mg/mL IgG has an A₂₈₀ of 1.4.

By immunoelectrophoresis and ELISA this antibody reacts specifically with F(ab')₂ fragments of rabbit IgG. Cross reactivity with IgA and IgM is negligible. No antibody was detected against non-immunoglobulin serum proteins. This antibody may cross react with F(ab')₂ fragments of IgG from other species.

APPLICATIONS Centrifuge tube to remove product from lid. Optimal working dilutions should be determined experimentally by the investigator. Prepare working dilution immediately before use.

Western Blot	1:5000 – 1:50,000
Immunohistochemistry	1:200 – 1:5000
Immunocytochemistry	1:200 – 1:5000
ELISA	1:10,000 – 1:100,000

APPLICATION NOTES Not all listed applications have been specifically tested by our laboratory.

ADDITIONAL INFO <https://www.fortislife.com/p/A120-112P>

Use the link above to view SDS, a current list of citations, and other product specific information.

This document certifies that this product has met all of the quality control standards defined by Bethyl Laboratories, Inc.
Michael Spencer, PhD Date: July 16, 2025