Rabbit IgG-heavy and light chain cross-adsorbed Antibody

Goat Polyclonal

Antigen Affinity Purified

Catalog No. A120-201A Lot No. A120-201A-8



APPLICATIONS WB, IHC, ICC, ELISA

SPECIES REACTIVITY Rabbit, Minimum reactivity to boyine, chicken, horse, human, mouse, pig and rat

ISOTYPE IaG

AMOUNT 1 ml at 0.5 mg/ml

2 - 8° C / 2 years from date of receipt STORAGE/SHELF LIFE

PHYSICAL STATE Liquid

BUFFFR Phosphate Buffered Saline (PBS) containing 0.09% Sodium Azide

ORIGIN USA

PRODUCTION Antiserum was cross adsorbed using bovine, chicken, horse, human, mouse, pig and rat **PROCEDURES**

immunosorbents to remove cross reactive Antibodies. The antibody to rabbit IgG was isolated

by affinity chromatography using antigen coupled to agarose beads.

Antibody concentration was determined by extinction coefficient: absorbance at 280 nm of 1.4

equals 1.0 mg of IgG.

By immunoelectrophoresis and ELISA this antibody reacts specifically with rabbit IgG and with light chains common to other rabbit immunoglobulins. No antibody was detected against nonimmunoglobulin serum proteins. Less than 0.1% cross reactivity to bovine, chicken, horse, human, mouse, pig, and rat IgG was detected. This antibody may cross react with IgG from other

APPLICATIONS Centrifuge tube to remove product from lid. Optimal working dilutions should be determined

experimentally by the investigator. Prepare working dilution immediately before use.

Western Blot 1:1,000 - 1:20,000

Immunohistochemistry 1:100 - 1:1,000

Immunocytochemistry 1:100 - 1:1.000

ELISA 1:1,000 - 1:20,000; for coating plates 1:50 - 1:250

APPLICATION NOTES Not all listed applications have been specifically tested by our laboratory.

ADDITIONAL INFO http://www.bethyl.com/product/A120-201A

Use the link above to view SDS, a current list of citations, and other product specific information.