## **ZFYVE19 Antibody**

Rabbit Polyclonal

Antigen Affinity Purified Protein ID NP\_001070736.1

Catalog No. A301-808A GenelD 84936

Lot No. A301-808A-1

APPLICATIONS WB, IP

SPECIES REACTIVITY Human

AMOUNT 100 μI

**CONCENTRATION** 1000 μg/ml

**STORAGE/SHELF LIFE** 2 – 8° C / 1 year from date of receipt

PHYSICAL STATE Liquid

**BUFFER** Tris-citrate/phosphate buffer, pH 7 to 8 containing 0.09% Sodium Azide

ISOTYPE IgG
ORIGIN USA

PRODUCTION PROCEDURES

 $Antibody \ was \ affinity \ purified \ using \ an \ epitope \ specific \ to \ ZFYVE19 \ immobilized \ on \ solid \ support.$ 

The epitope recognized by A301-808A maps to a region between residue 425 and 471 of human zinc finger, FYVE domain containing 19 using the numbering given in entry NP\_001070736.1

(GeneID 84936).

Immunoglobulin concentration was determined by extinction coefficient: absorbance at 280 nm

of 1.4 equals 1.0 mg of IgG.

APPLICATIONS Centrifuge tube to remove product from lid. Optimal working dilutions should be determined

experimentally by the investigator. Prepare working dilution immediately before use.

Western Blot 1:1,000 - 1:5,000

Immunoprecipitation 2 – 5 µg/mg lysate

**APPLICATION NOTES** Western blot of immunoprecipitates performed using Normal Pig Serum (Cat. No. S100-020),

Goat anti-Rabbit Light Chain HRP Conjugate (Cat. No. A120-113P) and 4-20% SDS-PAGE

(link to IP-western blot protocol in Additional Info section below).

Western blot of lysates performed using standard western blot reagents and 4-20% SDS-PAGE.

ADDITIONAL INFO https://www.bethyl.com/product/A301-808A


Use the link above to view SDS, a current list of citations, and other product specific information.

IP-western blot protocol: https://www.bethyl.com/content/protocol\_IP\_WB

This document certifies that this product has met all of the quality control standards defined by Bethyl Laboratories, Inc. Eric McIntush, PhD | Chief Scientific Officer

Date: June 21, 2019





Detection of human ZFYVE19 by western blot and immunoprecipitation. Samples: Whole cell lysate from HeLa (5, 15 and 50  $\mu$ g for WB; 1 mg for IP, 20% of IP loaded) and HEK293T (T; 50  $\mu$ g) cells. Antibody: Affinity purified rabbit anti–ZFYVE19 antibody A301–808A used for WB at 0.4  $\mu$ g/ml (A) and 1  $\mu$ g/ml (B) and used for IP at 3  $\mu$ g/mg lysate. ZFYVE19 was also immunoprecipitated by rabbit anti–ZFYVE19 antibody A301–807A, which recognizes an upstream epitope. Detection: Chemiluminescence with exposure times of 30 seconds (A and B).