hPrp3p Antibody

Rabbit Polyclonal

Antigen Affinity Purified Protein ID NP_004689.1

Catalog No. A302-074A GeneID 9129

Lot No. A302-074A-1

APPLICATIONS IP

SPECIES REACTIVITY Human

PRESUMED REACTIVITY Based on 100% sequence identity, this antibody is predicted to react with Mouse, Bovine and

Orangutan

AMOUNT 100 μl

CONCENTRATION 1000 μg/ml

STORAGE/SHELF LIFE 2 – 8° C / 1 year from date of receipt

PHYSICAL STATE Liquid

BUFFER Tris-citrate/phosphate buffer, pH 7 to 8 containing 0.09% Sodium Azide

ISOTYPE IgG
ORIGIN USA

PRODUCTION PROCEDURES

Antibody was affinity purified using an epitope specific to hPrp3p immobilized on solid support.

The epitope recognized by A302-074A maps to a region between residue 150 and 200 of human U4/U6 small nuclear ribonucleoprotein Prp3 using the numbering given in entry NP_004689.1

(GeneID 9129).

Immunoglobulin concentration was determined by extinction coefficient: absorbance at 280 nm

of 1.4 equals 1.0 mg of IgG.

APPLICATIONS Centrifuge tube to remove product from lid. Optimal working dilutions should be determined

experimentally by the investigator. Prepare working dilution immediately before use.

Western Blot Not recommended

Immunoprecipitation 2 – 5 µg/mg lysate

APPLICATION NOTES Western blot of immunoprecipitates performed using Normal Pig Serum (Cat. No. \$100–020),

Goat anti-Rabbit Light Chain HRP Conjugate (Cat. No. A120-113P) and 4-8% SDS-PAGE

(link to IP-western blot protocol in Additional Info section below).

IHC HUMAN CONTROLS Breast Carcinoma, Colon Carcinoma, Ovarian Carcinoma, Prostate Carcinoma


ADDITIONAL INFO https://www.bethyl.com/product/A302-074A

Use the link above to view SDS, a current list of citations, and other product specific information.

IP-western blot protocol: https://www.bethyl.com/content/protocol_IP_WB

This document certifies that this product has met all of the quality control standards defined by Bethyl Laboratories, Inc. Eric McIntush, PhD | Chief Scientific Officer Date: June 21, 2019





Detection of human hPrp3p by western blot of immunoprecipitates. Samples: Whole cell lysate (1 mg for IP, 20% of IP loaded) from HeLa cells. Antibodies: Affinity purified rabbit anti-hPrp3p antibody A302-074A used for IP at 3 μg/mg lysate. hPrp3p was also immunoprecipitated by rabbit anti-hPrp3p antibody A302-073A, which recognizes an upstream epitope. For blotting immunoprecipitated hPrp3p, A302-073A was used at 1 μg/ml. Detection: Chemiluminescence with an exposure time of 3 seconds.