

Spt16 Antibody

Rabbit Polyclonal

Antigen Affinity Purified

Protein ID NP_009123.1

Catalog No. A302-492A

GeneID 11198


Lot No. A302-492A-1



APPLICATIONS	WB				
SPECIES REACTIVITY	Human				
PRESUMED REACTIVITY	Based on 100% sequence identity, this antibody is predicted to react with Mouse				
AMOUNT	100 µl				
CONCENTRATION	1000 µg/ml				
STORAGE/SHELF LIFE	2 – 8° C / 1 year from date of receipt				
PHYSICAL STATE	Liquid				
BUFFER	Tris-citrate/phosphate buffer, pH 7 to 8 containing 0.09% Sodium Azide				
ISOTYPE	IgG				
ORIGIN	USA				
PRODUCTION PROCEDURES	Antibody was affinity purified using an epitope specific to Spt16 immobilized on solid support. The epitope recognized by A302-492A maps to a region between residue 997 and 1047 of human suppressor of Ty 16 using the numbering given in entry NP_009123.1 (GeneID 11198). Antibody concentration was determined by extinction coefficient: absorbance at 280 nm of 1.4 equals 1.0 mg of IgG.				
APPLICATIONS	Centrifuge tube to remove product from lid. Optimal working dilutions should be determined experimentally by the investigator. Prepare working dilution immediately before use. <table><tr><td>Western Blot</td><td>1:2,000 – 1:10,000</td></tr><tr><td>Immunoprecipitation</td><td>Not recommended</td></tr></table>	Western Blot	1:2,000 – 1:10,000	Immunoprecipitation	Not recommended
Western Blot	1:2,000 – 1:10,000				
Immunoprecipitation	Not recommended				
APPLICATION NOTES	Western blot of lysates performed using standard western blot reagents and 4-8% SDS-PAGE.				
ADDITIONAL INFO	https://www.bethyl.com/product/A302-492A Use the link above to view SDS, a current list of citations, and other product specific information.				

This document certifies that this product has met all of the quality control standards defined by Bethyl Laboratories, Inc.
Eric McIntush, PhD | Chief Scientific Officer

Date: June 21, 2019



Detection of human Spt16 by western blot. *Samples:* Whole cell lysate (5, 15 and 50 µg) from HeLa cells.
Antibodies: Affinity purified rabbit anti-Spt16 antibody A302-492A used at 0.1 µg/ml. ***Detection:*** Chemiluminescence with an exposure time of 3 minutes.