EYA3 Antibody

Rabbit Polyclonal

Antigen Affinity Purified Protein ID NP_001981.2

Catalog No. A302-690A GeneID 2140

Lot No. A302-690A-1

APPLICATIONS IP

SPECIES REACTIVITY Human 100 μl

CONCENTRATION 1000 μg/ml

STORAGE/SHELF LIFE 2 – 8° C / 1 year from date of receipt

PHYSICAL STATE Liquid

BUFFER Tris-citrate/phosphate buffer, pH 7 to 8 containing 0.09% Sodium Azide

ISOTYPE IgG
ORIGIN USA

PRODUCTION PROCEDURES

Antibody was affinity purified using an epitope specific to EYA3 immobilized on solid support.

The epitope recognized by A302–690A maps to a region between residue 30 and 60 of human eyes absent homolog 3 using the numbering given in entry NP_001981.2 (GenelD 2140).

Antibody concentration was determined by extinction coefficient: absorbance at 280 nm of 1.4

equals 1.0 mg of IgG.

APPLICATIONS Centrifuge tube to remove product from lid. Optimal working dilutions should be determined

experimentally by the investigator. Prepare working dilution immediately before use.

Western Blot Not recommended. Use rabbit anti-EYA3 antibody A302-689A.

Immunoprecipitation $2 - 5 \mu g/mg$ lysate

APPLICATION NOTES Western blot of immunoprecipitates performed using Normal Pig Serum (Cat. No. \$100–020),

Goat anti-Rabbit Light Chain HRP Conjugate (Cat. No. A120-113P) and 4-20% SDS-PAGE

(link to IP-western blot protocol in Additional Info section below).

IHC HUMAN CONTROLS Breast Carcinoma, Colon Carcinoma

ADDITIONAL INFO https://www.bethyl.com/product/A302-690A

Use the link above to view SDS, a current list of citations, and other product specific information.


IP-western blot protocol: https://www.bethyl.com/content/protocol_IP_WB

This document certifies that this product has met all of the quality control standards defined by Bethyl Laboratories, Inc. Eric McIntush, PhD | Chief Scientific Officer

Date: June 21, 2019



EYA3 Antibody A302-690A



Detection of human EYA3 by western blot of immunoprecipitates. Samples: Whole cell lysate (1 mg for IP, 20% of IP loaded) from HeLa cells. Antibodies: Affinity purified rabbit anti-EYA3 antibody A302-690A used for IP at 3 μg/mg lysate. EYA3 was also immunoprecipitated by rabbit anti-EYA3 antibody A302-689A, which recognizes an upstream epitope. For blotting immunoprecipitated EYA3, A302-689A was used at 0.4 μg/ml. Detection: Chemiluminescence with an exposure time of 10 seconds.