UPF3B Antibody

Rabbit Polyclonal

Antigen Affinity Purified Protein ID NP_542199.1

Catalog No. A303-689A GeneID 65109

Lot No. A303-689A-1

APPLICATIONS IP

SPECIES REACTIVITY Human
AMOUNT 100 µl

CONCENTRATION 1000 μg/ml

STORAGE/SHELF LIFE 2 – 8° C / 1 year from date of receipt

PHYSICAL STATE Liquid

BUFFER Tris-citrate/phosphate buffer, pH 7 to 8 containing 0.09% Sodium Azide

ISOTYPE IgG
ORIGIN USA

PRODUCTION PROCEDURES

Antibody was affinity purified using an epitope specific to UPF3B immobilized on solid support.

The epitope recognized by A303-689A maps to a region between residue 433 and 483 of human Up-Frameshift Suppressor 3 Regulator of Nonsense Transcripts Homolog B using the numbering

given in entry NP_542199.1 (GeneID 65109).

Antibody concentration was determined by extinction coefficient: absorbance at 280 nm of 1.4

equals 1.0 mg of IgG.

APPLICATIONS Centrifuge tube to remove product from lid. Optimal working dilutions should be determined

experimentally by the investigator. Prepare working dilution immediately before use.

Western Blot Not recommended

Immunoprecipitation 2 – 10 µg/mg lysate

APPLICATION NOTES Western blot of immunoprecipitates performed using Normal Pig Serum (Cat. No. S100-020),

Goat anti-Rabbit Light Chain HRP Conjugate (Cat. No. A120-113P) and 4-20% SDS-PAGE

(link to IP-western blot protocol in Additional Info section below).

ADDITIONAL INFO https://www.bethyl.com/product/A303-689A

Use the link above to view SDS, a current list of citations, and other product specific information.


IP-western blot protocol: https://www.bethyl.com/content/protocol_IP_WB

This document certifies that this product has met all of the quality control standards defined by Bethyl Laboratories, Inc. Eric McIntush, PhD | Chief Scientific Officer

Date: June 21, 2019



UPF3B Antibody



Detection of human UPF3B by western blot of immunoprecipitates. Samples: Whole cell lysate (1 mg for IP, 20% of IP loaded) from HeLa cells. Antibodies: Affinity purified rabbit anti-UPF3B antibody A303-689A used for IP at 6 μg/mg lysate. UPF3B was also immunoprecipitated by rabbit anti-UPF3B antibody A303-688A, which recognizes an upstream epitope. For blotting immunoprecipitated UPF3B, A303-688A was used at 1 μg/ml. Detection: Chemiluminescence with an exposure time of 3 seconds.