

# OSSA Antibody

Rabbit Polyclonal

Antigen Affinity Purified

Protein ID NP\_055427.2

Catalog No. A303-889A

GeneID 23196

Lot No. A303-889A-1



<b>APPLICATIONS</b>	WB, IP
<b>SPECIES REACTIVITY</b>	Human, Mouse
<b>AMOUNT</b>	100 µl
<b>CONCENTRATION</b>	1000 µg/ml
<b>STORAGE/SHELF LIFE</b>	2 - 8° C / 1 year from date of receipt
<b>PHYSICAL STATE</b>	Liquid
<b>BUFFER</b>	Tris-citrate/phosphate buffer, pH 7 to 8 containing 0.09% Sodium Azide
<b>ISOTYPE</b>	IgG
<b>ORIGIN</b>	USA
<b>PRODUCTION PROCEDURES</b>	Antibody was affinity purified using an epitope specific to OSSA immobilized on solid support.

The epitope recognized by A303-889A maps to a region between residue 1068 and 1118 of human Oxidative Stress-Associated Src Activator using the numbering given in entry NP\_055427.2 (GeneID 23196).

Antibody concentration was determined by extinction coefficient: absorbance at 280 nm of 1.4 equals 1.0 mg of IgG.

**APPLICATIONS** Centrifuge tube to remove product from lid. Optimal working dilutions should be determined experimentally by the investigator. Prepare working dilution immediately before use.

Western Blot 1:500 - 1:2,500

Immunoprecipitation 2 - 10 µg/mg lysate

**APPLICATION NOTES** Western blot of immunoprecipitates performed using Normal Pig Serum (Cat. No. S100-020), Goat anti-Rabbit Light Chain HRP Conjugate (Cat. No. A120-113P) and 4-8% SDS-PAGE (link to IP-western blot protocol in Additional Info section below).


Western blot of lysates performed using standard western blot reagents and 4-8% SDS-PAGE.

**ADDITIONAL INFO** <https://www.bethyl.com/product/A303-889A>

Use the link above to view SDS, a current list of citations, and other product specific information.

IP-western blot protocol: [https://www.bethyl.com/content/protocol\\_IP\\_WB](https://www.bethyl.com/content/protocol_IP_WB)

This document certifies that this product has met all of the quality control standards defined by Bethyl Laboratories, Inc.  
Eric McIntush, PhD | Chief Scientific Officer Date: June 21, 2019




**Detection of human and mouse OSSA by western blot.**

*Samples:* Whole cell lysate from Jurkat (15 and 50 µg), HeLa (50µg), HEK293T (50µg), and mouse NIH 3T3 (50µg) cells.

*Antibodies:* Affinity purified rabbit anti-OSSA antibody A303-889A (lot A303-889A-1) used for WB at 1 µg/ml.

*Detection:* Chemiluminescence with an exposure time of 10 seconds.



**Detection of human OSSA by western blot of immunoprecipitates.**

*Samples:* Whole cell lysate (1 mg for IP; 20% of IP loaded) from Jurkat cells. *Antibodies:* Affinity purified rabbit anti-OSSA antibody A303-889A (lot A303-889A-1) used for IP at 6 µg/mg lysate. OSSA was also immunoprecipitated by rabbit anti-OSSA antibody BL14027. For blotting immunoprecipitated OSSA, A303-889A was used at 1 µg/ml. *Detection:* Chemiluminescence with an exposure time of 30 seconds.