
DAZAP1 Antibody


Rabbit Polyclonal			C'm	
Antigen Affinity Purifie	d Protein ID	NP_061832.2		
Catalog No. A303-9		26528		
Lot No. A303-9	183A-1			
APPLICATIONS	WB, IP			
SPECIES REACTIVITY	ITY Human, Mouse			
PRESUMED REACTIVITY	Based on 100% sequence identity, this antibody is predicted to react with X. laevis			
AMOUNT	100 µl			
CONCENTRATION	1000 μg/ml			
STORAGE/SHELF LIFE	2 - 8° C / 1 year from date of receipt			
PHYSICAL STATE	Liquid			
BUFFER	Tris-citrate/phosphate buffer, pH 7 to 8 containing 0.09% Sodium Azide			
ISOTYPE	IgG			
ORIGIN	USA			
PRODUCTION Antibody was affinity purified using an epitope specific to PROCEDURES			obilized on solid support.	
		ognized by A303–983A maps to a region between residue 50 to 100 of human Protein using the numbering given in entry NP_061832.2 (GeneID 26528).		
	Antibody concentration was e equals 1.0 mg of IgG.	determined by extinction coefficient: abso	rbance at 280 nm of 1.4	
APPLICATIONS Centrifuge tube to remove product from lid. Optimal working dilutions should be determined experimentally by the investigator. Prepare working dilution immediately before use.				
	Western Blot 1:1	1,000 – 1:5,000		
	Immunoprecipitation 2 -	- 10 µg/mg lysate		
APPLICATION NOTES	Western blot of immunoprecipitates performed using Normal Pig Serum (Cat. No. S100–020), Goat anti-Rabbit Light Chain HRP Conjugate (Cat. No. A120–113P) and 4–20% SDS–PAGE (link to IP–western blot protocol in Additional Info section below).			
	Western blot of lysates performed using standard western blot reagents and 4–20% SDS			
ADDITIONAL INFO	https://www.bethyl.com/product/A303-983A			
	Use the link above to view SDS, a current list of citations, and other product specific information. IP-western blot protocol: https://www.bethyl.com/content/protocol_IP_WB			

This document certifies that this product has met all of the quality control standards defined by Bethyl Laboratories, Inc. Eric McIntush, PhD | Chief Scientific Officer Date: June 21, 2019

For in vitro laboratory use only. Not for any clinical, therapeutic or diagnostic use in humans or animals. Not for human or animal consumption. This product may not be resold or modified for resale without the prior written approval of Bethyl Laboratories, Inc. The information provided in this data sheet is believed to be correct but does not purport to be all-inclusive and is intended to be used as a guide. Bethyl Laboratories, Inc. shall not be liable or responsible in any way for use of either this information or the material supplied. Disposal of hazardous material may be subject to federal, state or local laws or regulations.



Detection of human and mouse DAZAP1 by western blot. *Samples:* Whole cell lysate (50 µg) from HEK293T, HeLa, Jurkat, mouse TCMK-1, and mouse NIH 3T3 cells. *Antibodies:* Affinity purified rabbit anti-DAZAP1 antibody A303-983A (lot A303-983A-1) used for WB at 0.4 µg/ml. *Detection:* Chemiluminescence with an exposure time of 30 seconds.



Detection of human DAZAP1 by western blot of immunoprecipitates. *Samples:* Whole cell lysate (1 mg for IP; 20% of IP loaded) from HEK293T cells. *Antibodies:* Affinity purified rabbit anti-DAZAP1 antibody A303–983A (lot A303–983A–1) used for IP at 6 μ g/mg lysate. DAZAP1 was also immunoprecipitated by rabbit anti-DAZAP1 antibodies A303–984A and A303–985A. For blotting immunoprecipitated DAZAP1, A303–983A was used at 1 μ g/ml. *Detection:* Chemiluminescence with an exposure time of 30 seconds.