## FAM83H Antibody

Rabbit Polyclonal

Antigen Affinity Purified Protein ID NP\_940890.3

Catalog No. A304-327A GenelD 286077

Lot No. A304-327A-1

APPLICATIONS IP

**SPECIES REACTIVITY** Human 100 μl

CONCENTRATION 1000 μg/ml

**STORAGE/SHELF LIFE** 2 – 8° C / 1 year from date of receipt

PHYSICAL STATE Liquid

**BUFFER** Tris-citrate/phosphate buffer, pH 7 to 8 containing 0.09% Sodium Azide

ISOTYPE IgG
ORIGIN USA

PRODUCTION PROCEDURES

Antibody was affinity purified using an epitope specific to FAM83H immobilized on solid support.

The epitope recognized by A304–327A maps to a region between residue 350 to 400 of human Family with Sequence Similarity 83, Member H using the numbering given in entry NP\_940890.3

(GeneID 286077).

Antibody concentration was determined by extinction coefficient: absorbance at 280 nm of 1.4

equals 1.0 mg of IgG.

APPLICATIONS Centrifuge tube to remove product from lid. Optimal working dilutions should be determined

experimentally by the investigator. Prepare working dilution immediately before use.

Western Blot Not recommended. Use rabbit anti-FAM83H antibody A304-328A.

Immunoprecipitation 2 – 10 µg/mg lysate

**APPLICATION NOTES** Western blot of immunoprecipitates performed using Normal Pig Serum (Cat. No. S100-020),

Goat anti-Rabbit Light Chain HRP Conjugate (Cat. No. A120-113P) and 4-8% SDS-PAGE

(link to IP-western blot protocol in Additional Info section below).

ADDITIONAL INFO https://www.bethyl.com/product/A304-327A


Use the link above to view SDS, a current list of citations, and other product specific information.

IP-western blot protocol: https://www.bethyl.com/content/protocol\_IP\_WB

This document certifies that this product has met all of the quality control standards defined by Bethyl Laboratories, Inc. Eric McIntush, PhD | Chief Scientific Officer

Date: June 21, 2019





Detection of human FAM83H by western blot of immunoprecipitates. Samples: Whole cell lysate (0.5 or 1.0 mg per IP reaction; 20% of IP loaded) from 293T cells. Antibodies: Affinity purified rabbit anti-FAM83H antibody A304–327A (lot A304–327A–1) used for IP at 6 μg per reaction. FAM83H was also immunoprecipitated by rabbit anti-FAM83H antibody A304–328A. For blotting immunoprecipitated FAM83H, A304–328A was used at 1 μg/ml. Detection: Chemiluminescence with an exposure time of 3 minutes.