GRASP65 Antibody

Rabbit Polyclonal

Antigen Affinity Purified Protein ID NP_114105.1

Catalog No. A304-562A GeneID 64689

Lot No. A304-562A-1

APPLICATIONS IP

SPECIES REACTIVITY Human

AMOUNT 100 μl

CONCENTRATION 1000 μg/ml

STORAGE/SHELF LIFE 2 – 8° C / 1 year from date of receipt

PHYSICAL STATE Liquid

BUFFER Tris-citrate/phosphate buffer, pH 7 to 8 containing 0.09% Sodium Azide

ISOTYPE IgG
ORIGIN USA

PRODUCTION Antibody was affinity purified using an epitope specific to GRASP65 immobilized on solid

PROCEDURES support.

The epitope recognized by A304-562A maps to a region between residue 375 to 425 of human Golgi Reassembly Stacking Protein 1, 65kDa using the numbering given in entry NP 114105.1

(GeneID 64689).

Antibody concentration was determined by extinction coefficient: absorbance at 280 nm of 1.4

equals 1.0 mg of IgG.

APPLICATIONS Centrifuge tube to remove product from lid. Optimal working dilutions should be determined

experimentally by the investigator. Prepare working dilution immediately before use.

Western Blot Not recommended. Use rabbit anti-GRASP65 antibody A304-563A.

Immunoprecipitation 2 – 10 μg/mg lysate

APPLICATION NOTES Western blot of immunoprecipitates performed using Normal Pig Serum (Cat. No. \$100-020),

Goat anti-Rabbit Light Chain HRP Conjugate (Cat. No. A120-113P) and 4-20% SDS-PAGE

(link to IP-western blot protocol in Additional Info section below).


ADDITIONAL INFO https://www.bethyl.com/product/A304-562A

Use the link above to view SDS, a current list of citations, and other product specific information.

IP-western blot protocol: https://www.bethyl.com/content/protocol IP WB

This document certifies that this product has met all of the quality control standards defined by Bethyl Laboratories, Inc. Eric McIntush, PhD | Chief Scientific Officer Date: June 21, 2019





Detection of human GRASP65 by western blot of immunoprecipitates. Samples: Whole cell lysate (0.5 or 1.0 mg per IP reaction; 20% of IP loaded) from 293T cells prepared using NETN lysis buffer. Antibodies: Affinity purified rabbit anti-GRASP65 antibody A304-562A (lot A304-562A-1) used for IP at 6 μg per reaction. GRASP65 was also immunoprecipitated by rabbit anti-GRASP65 antibody A304-563A. For blotting immunoprecipitated GRASP65, A304-562A was used at 1 μg/ml. Detection: Chemiluminescence with an exposure time of 3 minutes.