

HNRNPUL2 Antibody

Rabbit Polyclonal

Antigen Affinity Purified

Protein ID NP_001073027.1

Catalog No. A304-619A

GeneID 221092

Lot No. A304-619A-1



APPLICATIONS WB, IP

SPECIES REACTIVITY Human, Mouse

AMOUNT 100 µl

CONCENTRATION 1000 µg/ml

STORAGE/SHELF LIFE 2 - 8° C / 1 year from date of receipt

PHYSICAL STATE Liquid

BUFFER Tris-citrate/phosphate buffer, pH 7 to 8 containing 0.09% Sodium Azide

ISOTYPE IgG

ORIGIN USA

PRODUCTION PROCEDURES Antibody was affinity purified using an epitope specific to HNRNPUL2 immobilized on solid support.

The epitope recognized by A304-619A maps to a region between residue 25 to 75 of human Heterogeneous Nuclear Ribonucleoprotein U-Like 2 using the numbering given in entry NP_001073027.1 (GeneID 221092).

Antibody concentration was determined by extinction coefficient: absorbance at 280 nm of 1.4 equals 1.0 mg of IgG.

APPLICATIONS Centrifuge tube to remove product from lid. Optimal working dilutions should be determined experimentally by the investigator. Prepare working dilution immediately before use.

Western Blot 1:2,000 - 1:10,000

Immunoprecipitation 2 - 10 µg/mg lysate

APPLICATION NOTES Western blot of immunoprecipitates performed using Normal Pig Serum (Cat. No. S100-020), Goat anti-Rabbit Light Chain HRP Conjugate (Cat. No. A120-113P) and 4-8% SDS-PAGE (link to IP-western blot protocol in Additional Info section below).

Western blot of lysates performed using standard western blot reagents and 4-8% SDS-PAGE.



ADDITIONAL INFO <https://www.bethyl.com/product/A304-619A>

Use the link above to view SDS, a current list of citations, and other product specific information.

IP-western blot protocol: https://www.bethyl.com/content/protocol_IP_WB

This document certifies that this product has met all of the quality control standards defined by Bethyl Laboratories, Inc.
Eric McIntush, PhD | Chief Scientific Officer

Date: June 21, 2019



Detection of human and mouse HNRNPUL2 by western blot. *Samples:* Whole cell lysate (50 µg) from HeLa, HEK293T, Jurkat, mouse TCMK-1, and mouse NIH 3T3 cells prepared using NETN lysis buffer. *Antibodies:* Affinity purified rabbit anti-HNRNPUL2 antibody A304-619A (lot A304-619A-1) used for WB at 0.1 µg/ml. *Detection:* Chemiluminescence with an exposure time of 30 seconds.

Detection of human HNRNPUL2 by western blot of immunoprecipitates. *Samples:* Whole cell lysate (0.5 or 1.0 mg per IP reaction; 20% of IP loaded) from 293T cells prepared using NETN lysis buffer. *Antibodies:* Affinity purified rabbit anti-HNRNPUL2 antibody A304-619A (lot A304-619A-1) used for IP at 6 µg per reaction. HNRNPUL2 was also immunoprecipitated by rabbit anti-HNRNPUL2 antibody BL17661. For blotting immunoprecipitated HNRNPUL2, A304-619A was used at 0.1 µg/ml. *Detection:* Chemiluminescence with an exposure time of 10 seconds.