## **PUS3 Antibody**

Rabbit Polyclonal

Antigen Affinity Purified Protein ID Q9BZE2.3

Catalog No. A304–957A GeneID 83480

Lot No. A304-957A-1

APPLICATIONS IP

**SPECIES REACTIVITY** Human 100 μl

CONCENTRATION 1000 μg/ml

**STORAGE/SHELF LIFE** 2 – 8° C / 1 year from date of receipt

PHYSICAL STATE Liquid

BUFFER Tris-citrate/phosphate buffer, pH 7 to 8 containing 0.09% Sodium Azide

ISOTYPE IgG
ORIGIN USA

PRODUCTION PROCEDURES

Antibody was affinity purified using an epitope specific to PUS3 immobilized on solid support.

The epitope recognized by A304–957A maps to a region between residue 1 to 50 of human tRNA

pseudouridine synthase 3 using the numbering given in entry Q9BZE2.3 (GeneID 83480).

Antibody concentration was determined by extinction coefficient: absorbance at 280 nm of 1.4

equals 1.0 mg of IgG.

APPLICATIONS Centrifuge tube to remove product from lid. Optimal working dilutions should be determined

experimentally by the investigator. Prepare working dilution immediately before use.

Western Blot Not recommended. Use rabbit anti-PUS3 antibody A304-958A.

Immunoprecipitation  $2 - 10 \mu g/mg$  lysate

**APPLICATION NOTES** Western blot of immunoprecipitates performed using Normal Pig Serum (Cat. No. \$100–020),

Goat anti-Rabbit Light Chain HRP Conjugate (Cat. No. A120-113P) and 4-20% SDS-PAGE

(link to IP-western blot protocol in Additional Info section below).

ADDITIONAL INFO https://www.bethyl.com/product/A304-957A

Use the link above to view SDS, a current list of citations, and other product specific information.


IP-western blot protocol: https://www.bethyl.com/content/protocol\_IP\_WB

This document certifies that this product has met all of the quality control standards defined by Bethyl Laboratories, Inc. Eric McIntush, PhD | Chief Scientific Officer

Date: June 21, 2019



PUS3 Antibody A304-957A



Detection of human PUS3 by western blot of immunoprecipitates. Samples: Whole cell lysate (0.5 or 1.0 mg per IP reaction; 20% of IP loaded) from 293T cells prepared using NETN lysis buffer. Antibodies: Affinity purified rabbit anti-PUS3 antibody A304-957A (lot A304-957A-1) used for IP at 6 μg per reaction. PUS3 was also immunoprecipitated by rabbit anti-PUS3 antibody A304-957A. For blotting immunoprecipitated PUS3, A304-958A was used at 1 μg/ml. Detection: Chemiluminescence with an exposure time of 30 seconds.