

FOXA1 /HNF3A Antibody

Rabbit Polyclonal

Antigen Affinity Purified

Protein ID P55317.2

Catalog No. A305-249A

GeneID 3169

Lot No. A305-249A-1



APPLICATIONS	WB, IP
SPECIES REACTIVITY	Human, Mouse
PRESUMED REACTIVITY	Based on 100% sequence identity, this antibody is predicted to react with Rat, <i>X. laevis</i> and <i>X. tropicalis</i>
AMOUNT	100 µl
CONCENTRATION	1000 µg/ml
STORAGE/SHELF LIFE	2 - 8° C / 1 year from date of receipt
PHYSICAL STATE	Liquid
BUFFER	Tris-citrate/phosphate buffer, pH 7 to 8 containing 0.09% Sodium Azide
ISOTYPE	IgG
ORIGIN	USA
PRODUCTION PROCEDURES	Antibody was affinity purified using an epitope specific to FOXA1/HNF3A immobilized on solid support.

The epitope recognized by A305-249A maps to a region between residue 422 to 472 of human Hepatocyte nuclear factor 3- α using the numbering given in entry P55317.2 (GeneID 3169).

Antibody concentration was determined by extinction coefficient: absorbance at 280 nm of 1.4 equals 1.0 mg of IgG.

APPLICATIONS Centrifuge tube to remove product from lid. Optimal working dilutions should be determined experimentally by the investigator. Prepare working dilution immediately before use.

Western Blot 1:2,000 - 1:10,000

Immunoprecipitation 2 - 10 µg/mg lysate

APPLICATION NOTES Western blot of immunoprecipitates performed using Normal Pig Serum (Cat. No. S100-020), Goat anti-Rabbit Light Chain HRP Conjugate (Cat. No. A120-113P) and 4-20% SDS-PAGE (link to IP-western blot protocol in Additional Info section below).


Western blot of lysates performed using standard western blot reagents and 4-20% SDS-PAGE.

ADDITIONAL INFO <https://www.bethyl.com/product/A305-249A>


Use the link above to view SDS, a current list of citations, and other product specific information.

IP-western blot protocol: https://www.bethyl.com/content/protocol_IP_WB

This document certifies that this product has met all of the quality control standards defined by Bethyl Laboratories, Inc.
Eric McIntush, PhD | Chief Scientific Officer Date: June 21, 2019



Detection of human and mouse FOXA1 by western blot.
Samples: Whole cell lysate from MCF-7 (5, 15 and 50 µg), and HeLa (50 µg) cells prepared using NETN lysis buffer.
Antibody: Affinity purified rabbit anti-FOXA1 antibody A305-249A (lot A305-249A-1) used for WB at 0.1 µg/ml.
Detection: Chemiluminescence with an exposure time of 3 minutes.



Detection of human FOXA1 by western blot of immunoprecipitates. *Samples:* Whole cell lysate (0.5 or 1.0 mg per IP reaction; 20% of IP loaded) from HeLa cells prepared using NETN lysis buffer. *Antibodies:* Affinity purified rabbit anti-FOXA1 antibody A305-249A (lot A305-249A-1) used for IP at 6 µg per reaction. FOXA1 was also immunoprecipitated by rabbit anti-FOXA1 antibody BL20490. For blotting immunoprecipitated FOXA1, A305-249A was used at 1 µg/ml. *Detection:* Chemiluminescence with an exposure time of 3 minutes.