COX5B Antibody

Rabbit Polyclonal

Antigen Affinity Purified Protein ID P10606.2

Catalog No. A305-525A GeneID 1329

Lot No. A305-525A-1

APPLICATIONS IP

SPECIES REACTIVITY Human

PRESUMED REACTIVITY Based on 100% sequence identity, this antibody is predicted to react with Orangutan

AMOUNT 100 μl

CONCENTRATION 1000 μg/ml

STORAGE/SHELF LIFE 2 – 8° C / 1 year from date of receipt

PHYSICAL STATE Liquid

BUFFER Tris-citrate/phosphate buffer, pH 7 to 8 containing 0.09% Sodium Azide

ISOTYPE IgG
ORIGIN USA

PRODUCTION PROCEDURES

Antibody was affinity purified using an epitope specific to COX5B immobilized on solid support.

The epitope recognized by A305-525A maps to a region between residue 79 to 129 of human Cytochrome c oxidase subunit 5B, mitochondrial using the numbering given in entry P10606.2

(GeneID 1329).

Antibody concentration was determined by extinction coefficient: absorbance at 280 nm of 1.4

equals 1.0 mg of IgG.

APPLICATIONS Centrifuge tube to remove product from lid. Optimal working dilutions should be determined

experimentally by the investigator. Prepare working dilution immediately before use.

Western Blot Not recommended, Use rabbit anti-COX5B antibody A305-524A.

Immunoprecipitation 2 – 10 µg/mg lysate

APPLICATION NOTES Western blot of immunoprecipitates performed using Normal Pig Serum (Cat. No. \$100-020),

Goat anti-Rabbit Light Chain HRP Conjugate (Cat. No. A120-113P) and 4-12% SDS-PAGE

(link to IP-western blot protocol in Additional Info section below).

ADDITIONAL INFO https://www.bethyl.com/product/A305-525A


Use the link above to view SDS, a current list of citations, and other product specific information.

IP-western blot protocol: https://www.bethyl.com/content/protocol_IP_WB

This document certifies that this product has met all of the quality control standards defined by Bethyl Laboratories, Inc. Eric McIntush, PhD | Chief Scientific Officer Date: June 21, 2019



COX5B Antibody A305-525A



Detection of human COX5B by western blot of immunoprecipitates. Samples: Whole cell lysate (0.5 or 1.0 mg per IP reaction; 20% of IP loaded) from 293T cells prepared using NETN lysis buffer. Antibodies: Affinity purified rabbit anti-COX5B antibody A305-525A (lot A305-525A-1) used for IP at 6 μg per reaction. COX5B was also immunoprecipitated by rabbit anti-COX5B antibody A305-524A. For blotting immunoprecipitated COX5B, A305-525A was used at 1 μg/ml. Detection: Chemiluminescence with an exposure time of 3 minutes.