

**HORSE SERUM (Lyophilized) - D307-05**

**Code:** D307-05

**Size:** 5 mL

**Product Description:** HORSE SERUM (Lyophilized) - D307-05

**Concentration:** 84 mg/mL by Refractometry

**PhysicalState:** Lyophilized

|                               |  |
|-------------------------------|--|
| <b>Label</b>                  | Unconjugated   |
| <b>Buffer</b>                 | 0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2   |
| <b>Reconstitution Volume</b>  | 5.0 mL   |
| <b>Reconstitution Buffer</b>  | Restore with deionized water (or equivalent)   |
| <b>Preservative</b>           | None   |
| <b>Storage Condition</b>      | Store vial at 4° C prior to restoration. For extended storage aliquot contents and freeze at -20° C or below. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room temperature. This product is stable for several weeks at 4° C as an undiluted liquid. Dilute only prior to immediate use.  |
| <b>Synonyms</b>               | Horse serum for bioassay, control Horse serum, non sterile serum from Horse, non-sterile Horse serum   |
| <b>Application Note</b>       | Suitable for use as a control or diluent in assays and most other immunological methods.   |
| <b>Background</b>             | Horse Serum is used as a component to bioassays, immunoassays, or enzyme assays. Horse Serum provides a broad spectrum of macromolecules, carrier proteins for lipid substances and trace elements, attachment and spreading factors, low molecular weight nutrients, and hormones and growth factors that promote cell growth and health. Be certain to maintain Good Cell Culture Practice, and maintain sterility of cultures that require media supplementation. |
| <b>Purity And Specificity</b> | This product was prepared from normal serum by delipidation and defibrination. Assay by immunoelectrophoresis resulted in multiple precipitin arcs against anti-Horse Serum.   |
| <b>Assay Dilutions</b>        | User Optimized   |
| <b>Other Assays</b>           | User Optimized   |
| <b>Expiration</b>             | Expiration date is one (1) year from date of opening.  |

**Related Products**


|             |   |
|-------------|---|
| 200-301-268 | Anti-AKT pS473 (MOUSE) Monoclonal Antibody - 200-301-268                |
| 610-4302    | Anti-MOUSE IgG (H&L) (RABBIT) Antibody Peroxidase Conjugated - 610-4302 |
| 611-1302    | Anti-RABBIT IgG (H&L) (GOAT) Antibody Peroxidase Conjugated - 611-1302  |
| B304        | NORMAL GOAT SERUM (NGS) - B304  |

**Images**

- 1 Immunocytochemistry of PUMA in K562 cells with PUMA antibody at 1 µg/ml.



- 2 Western blot analysis of PUMA expression in human (H) K562 and mouse (M) 3T3 cell lysates with PUMA antibody at 2 µg/ml.



#### Disclaimer

This product is for research use only and is not intended for therapeutic or diagnostic applications. Please contact a technical service representative for more information. All products of animal origin manufactured by Rockland Immunochemicals are derived from starting materials of North American origin. Collection was performed in United States Department of Agriculture (USDA) inspected facilities and all materials have been inspected and certified to be free of disease and suitable for exportation. All properties listed are typical characteristics and are not specifications. All suggestions and data are offered in good faith but without guarantee as conditions and methods of use of our products are beyond our control. All claims must be made within 30 days following the date of delivery. The prospective user must determine the suitability of our materials before adopting them on a commercial scale. Suggested uses of our products are not recommendations to use our products in violation of any patent or as a license under any patent of Rockland Immunochemicals, Inc. If you require a commercial license to use this material and do not have one, then return this material, unopened to: Rockland Inc., P.O. BOX 5199, Limerick, Pennsylvania, USA.