

STERILE HUMAN PLASMA in Sodium EDTA - Neg for HIV-I antigens, HCV, STS and HBsAg by FDA Licensed tests. - D519-04-0050

Co	de: D519-04-0	0050 Size: 50 mL
Product Description	: STERILE HUN tests D519-0	MAN PLASMA in Sodium EDTA - Neg for HIV-I antigens, HCV, STS and HBsAg by FDA Licensed 04-0050
Concentration	: 85 mg/mL by	Refractometry
PhysicalState	: Liquid	
Label	Unconjugated	
Buffer	None	
Stabilizer	None	
Preservative	None	
Storage Condition		er at -20° C prior to opening. Avoid cycles of freezing and thawing. Use aseptic technique to ity when opening product.
Synonyms	Human plasma for cell culture, cell culture grade human plasma, human plasma in Sodium EDTA, sterile plasma from human with anticoagulant Sodium EDTA, sterile human plasma	
Application Note	pH: normalImmunoelectrophoresis: normalHemoglobin: normalIgG Concentration: normal	
Background	macromolecul low molecular	a is used as a supplement to cell culture media. Human Plasma provides a broad spectrum of les, carrier proteins for lipoid substances and trace elements, attachment and spreading factors, weight nutrients, and hormones and growth factors that promote cell growth and health. Be ntain Good Cell Culture Practice, and maintain sterility of cultures that require media ion.
Assay Dilutions	User Optimize	ed
Other Assays	User Optimized	
Expiration	Expiration date is one (1) year from date of opening.	
Sex	Mixed	
Strain	Adult	
Anti-Coagulant	Sodium EDTA	
Sterilization	This product was aseptically drawn and processed using sterile equipment and sterile techniques. The product was tested on trypticase soy agar for 24 hours, 48 hours and 72 hours and was found to be negative for bacteria.	
Related Products		
D1	19-00-0050	STERILE HUMAN SERUM - Neg for HIV-I antigens, HCV, STS and HBsAg by FDA Licensed tests D119-00-0050
D5	19-01-0050	STERILE HUMAN PLASMA in ACD - tested for HIV-I antigens and HCV. Non-reactive by HBsAg when tested by FDA Licensed test kits. STS negative D519-01-0050
D5	19-02-0050	STERILE HUMAN PLASMA in Alsevers- tested for HIV-I antigens and HCV. Non-reactive by HBsAg when tested by FDA Licensed test kits. STS negative D519-02-0050
D5	19-03-0050	STERILE HUMAN PLASMA in Sodium Citrate - tested for HIV-I antigens and HCV. Non-reactive by HBsAg when tested by FDA Licensed test kits. STS negative D519-03-0050

Images

Human Plasma is used as a supplement to cell culture media. Human Plasma provides a broad spectrum of macromolecules, carrier proteins for lipoid substances and trace elements, attachment and spreading factors, low molecular weight nutrients, and hormones and growth factors that promote cell growth and health. Be certain to maintain Good Cell Culture Practice, and maintain sterility of cultures that require media supplementation.



1

Disclaimer

This product is for research use only and is not intended for therapeutic or diagnostic applications. Please contact a technical service representative for more information. All products of animal origin manufactured by Rockland Immunochemicals are derived from starting materials of North American origin. Collection was performed in United States Department of Agriculture (USDA) inspected facilities and all materials have been inspected and certified to be free of disease and suitable for exportation. All properties listed are typical characteristics and are not specifications. All suggestions and data are offered in good faith but without guarantee as conditions and methods of use of our products are beyond our control. All claims must be made within 30 days following the date of delivery. The prospective user must determine the suitability of our materials before adopting them on a commercial scale. Suggested uses of our products are not recommendations to use our products in violation of any patent or as a license under any patent of Rockland Immunochemicals, Inc. If you require a commercial license to use this material and do not have one, then return this material, unopened to: Rockland Inc., P.O. BOX 5199, Limerick, Pennsylvania, USA.