



Diacclone

DIACLONE Immunology Products

IL-6 ELISA Kit Human IL-6 ELISAKit

CATALOGUE N° :	950.030.048, 950.030.096, 950.030.192
SPECIFICITY :	Recognizes both natural and recombinant human IL-6
RANGE :	6.25 pg / ml - 200 pg / ml
SENSITIVITY :	< 2 pg / ml
INCUBATION :	1h45
SAMPLE TYPES :	Serum Plasma Cell culture supernatant
SAMPLE SIZE :	100 µl
CROSS REACTION :	No cross reactivity with other human cytokines No interference with soluble receptor gp80
KIT SIZE :	48 (Discovery), 96, 192 tests
REFERENCES :	Akbari, F. et al., Iran J Neurol.,2016; 15(2): 75-9. Akbarpour, M., Biol Sport,2013; 30(1): 21-7 Akram Kooshki, A. et al.,Glob J Health Sci.,2015; 7(7 Spec No): 1-5 Auf, G. et al., PNAS,2010;0914072107 Azadbakht, L. et al., Diabetes Care,2007;30(4):967-73 Badoual, C. et al., Cancer Res.,2008; 68(10): 3907-3914. Balabanian K. et al., Am. J. Respir. Crit. Care Med., 2002; 165(10): 1419 - 1425 Barber, M. D. et al., Br J Cancer,2004 ; 90(6): 1129-32 Biswas, S. et al.,Korean J Intern Med.,2010 ; 25(1): 44-50 Bonnans, C. et al., Am J Pathol., 2006; 168 (4) :1064-72. Bozic, M. et al.,PLoS One,2015;10(8): e0136863 Burger, R. et al., Hematol J.,2001; 2(1): 42-53. Calabro, M. L. et al., Blood,2009; 113(19): 4525-4533. Capo, X. et al., Oxid Med Cell Longev., 2015: 187849 Capo, X. et al., Nutrients,2016; 8(10). Chabbert-de Ponnat, I. et al., Int Immunol.,2005; 17(4): 439-47. Chang K-T. et al., Am J Physiol Lung Cell Mol Physiol, 2005; 289(3): L438-45 Chang, K. T. et al., Am J Physiol Lung Cell Mol Physiol.,2005; 289(3): L446-53. Chavushyan, A. et al., Schizophr Res Treatment, 2013: 125264 Chen, Y. C. et al., Mediators Inflamm., 2010: 573594 Coles, J. G. et al., J Thorac Cardiovasc Surg.,2005;129(5): 1128-36. Corbi P. et al., Eur J Cardiothorac Surg., 2000; 18(1): 98 - 103 Convaisier, M. et al., PLoS Biol.,2012;10(9): e1001395 Cot, M. et al.,PLoS One,2011; 6(10): e26316 Cunin, P. et al., J. Immunol.,2011;186(7): 4175-4182. Cutolo M. et al., Ann. Rheum. Dis, 2005; 64(2): 212 - 216 Cutolo M. et al., Ann. Rheum. Dis, 2005; 65(6): 728-35 Cutolo, M. et al., Arthritis Res Ther.,2009;11(6): R176 de Gonzalo-Calvo, D. et al., Age (Dordr),2011; 34(3): 761-71 de Haan, J. J. et al.,Crit Care,2009; 13(3): R86 Dore, P. et al., Clin Exp Immunol.,1997; 107(1): 182-8 Ehlermann, P. et al.,Cardiovasc Diabetol.,2006; 5: 6 Eilertsen, G. O. et al., Lupus,2011 ; 20(6): 607-613. Faam, B. et al., Iran J Basic Med Sci.,2014;17(8): 577-82 Forsbach, A. et al., J. Immunol.,2008;180(6): 3729-3738. Fu, J. F. et al.,World J Gastroenterol.,2009; 15(8):912-8 Garcia-Posadas, L. et al., Invest. Ophthalmol. Vis. Sci., 2013 ; 54(10): 7143-7152 Garcia-Posadas, L. et al., PLoS One,2017; 12(3): e0171099 Gehrke, T. et al., Oncol Lett.,2016; 12(5): 3549-3554 Giamarellos-Bourboulis, E. J. et al., PLoS One,2009; 4(12): e8393 Giamarellos-Bourboulis, E. J. et al., Crit Care,2006; 10(3): R76 Gironella, M. et al., Gut ,2005; 54(9): 1244-53. Gombocz, K. et al., Crit Care,2007; 11(4): R87 Gomez-Tortosa, E. et al., Arch Neurol., 2003; 60(9): 1218-22 Gougelet, A. et al., PLoS One,2009; 4(11): e8026 Guerrero, A. et al., Aging Cell,2015; 14(2): 274-83 Gulati, S. et al.,Am J Reprod Immunol, 2012; 67(3): 235-40 Guldiken, B. et al., Angiology,2008; 59(2): 224-229. Gupta, A. et al., Human and Experimental Toxicology,2011;30(10): 1445-1453 Hjuler Nielsen, M. et al., PLoS One,2015;10(4): e0121516 Jego, G. et al., Blood, 1999; 94(2): 701-12

25 YEARS OF EXPERTISE

With over 25 years experience and extensive expertise we are committed to providing excellence in Monoclonal Antibody and Immunoassay development.

The expanding range of Diacclone Immunology products is specifically designed to advance research applications.

Our experience and expertise coupled to the diversity of our product range makes Diacclone a clear choice to

Fast Track Your Research...

DIACLONE PRODUCTS



Monoclonal Antibodies



ELISA



ELISpot



DIAPlex

DIACLONE SAS

6 rue Dr Jean-François-Xavier Girod
- BP 1985
25020 Besançon cedex - France
Tel: +33 (0)3 81 41 38 38
Fax: +33 (0)3 81 41 36 36
info@diacclone.com



www.diacclone.com

Jouan, J. et al., *J. Thorac. Cardiovasc. Surg.*, 2012;144(2):467-4732

Kanakdande, V. et al., *Contemp Clin Dent.*, 2015; 6(3): 348-57

Kashyap, B. et al., *J Trop Pediatr.*, 2011;fmr093

Kerr J. et al., *J. Gen. Virol.*, 2001; 82(Pt 12): 3011-3019

Koussoulas, V. et al., *World J Gastroenterol.*, 2006; 12(41): 6711-4

Kruger, K. et al., *J Appl Physiol.*, 2011; 110(5): 1226-1232

Kube D. et al., *Blood*, 2001; 98(3): 762 - 770

Kulms D. et al., *J. Biol. Chem.*, 2000; 275(20): 15060 - 15066

Kumpf, O. et al., *Crit Care*, 2010; 14(3): R103.

Kwon K.Y. et al., *J. Korean Med. Sci.*, 2001; 16(6): 774 - 780

Kyriakopoulou, M. et al., *Mediators Inflamm.*, 2008: 450196.

Le M ur Y. et al., *Nephrol. Dial. Transplant.*, 1999; 14(10) : 2420 - 2426

Lee, H. W. et al., *Ann Dermatol.*, 2013 ; 25(2): 173-80

Lekkou A et al., *Clin. Diagn.Lab. Immunol.*, 2004; 11(1):161 - 167

Lewis, S. et al., *Respir Res.*, 2009 ; 10: 44

Liao, B. et al., *Emerg Microbes Infect.*, 2015; 4(4): e24

Lieblein, J. C. et al., *BMC Cancer*, 2008; 8: 302

Loo, W. T. et al., *J Transl Med.*, 2012; 10 Suppl 1: S8

Lotrich, F. E. et al., *Brain Behav Immun.*, 2013;31: 48-53.

Lu, C. et al., *Lupus*, 2015;24(1):18-24

Mahalle, N. et al., *Indian J Endocrinol Metab.*, 2014 ; 18(5): 708-14

Mahalle, N. et al., *Indian J Endocrinol Metab.* 2014 ; 18(1): 48-55

Mahalle, N. et al., *Indian J Endocrinol Metab.* 2013; 17(5): 844-50

Mahalle, N. et al., *Ann Med Health Sci Res.*, 2014; 4(5): 706-12

Mochel, F. et al., *PLoS One*, 2007; 2(7): e647.

Mohamed, H. S. and M. M. M guid, *Saudi J Anaesth.*, 2017;11(1): 9-14.

Montes, C. L. et al., *Cancer Res.*, (2008; 68(3): 870-879.

Moreaux, J. et al., *Blood*, 2011; 117(4): 1280-1290

Mori, T. et al., *Exp Anim.*, 2016; 65(4): 455-463.

Musleh, G. S. et al., *Eur. J. Cardiothorac. Surg.*, 2009; 35(3): 511-514.

Nagao, Y. et al., *Malar J.*, 2008; 7: 113.

Nebor, D. et al., *Haematologica*, 2011;96(11):1589-1594

Netam, R. et al., *Indian J Med Res.*, 2015; 141(6): 775-82

Onambele-Pearson, G. L. et al., *Age (Dordr)*, 2010; 32(2): 139-53

Onambele-Pearson, G. L. et al., *Age (Dordr)*, 2010; 32(2): 125-38

Onambele-Pearson, G. L. and S. J. Pearson, *Age (Dordr)*, 2012;34(2): 427-38

Pac-Kozuchowska, E. et al., *Med Sci Monit.*, 2016;22: 1534-9.

Paduch, R. and A. Wozniak, *J Ophthalmic Vis Res.*, 2015; 10(3): 229-37

Paduch, R., et al., *Balkan Med J.*, 2014 ; 31(1): 29-36

Panes, J. et al., *Am J Physiol Gastrointest Liver Physiol.*, 2007; 293: G739 – G748

Pasi, F. et al., *Anticancer Res.*, 2010; 30(7): 2769-2772

Pelekanou, A. et al., *Crit Care*, 2009; 13(6): R172

Peng, L. S. et al., *World J Emerg Med.*, 2015 ; 6(2): 123-30

Perret D. et al., *J. Biol. Chem.*, 2004; 279(42): 43961 - 43970

Perry, M. G. et al., *Rheumatology(Oxford)*, 2006;45(2): 229-30.

Pitta, M. G. et al., *J Clin Invest.*, 2009; 119(8): 2379-87

Prakash, S. et al., *Clin Orthop Relat Res.*, 2013; 471(7): 2340-6

Prather, A. A. et al., *Brain Behav Immun.*, 2009;23(8): 1109-16

Puthier, D. et al., *Blood*, 1996; 88(12): 4659-66

Rajappa, M. et al., *Angiology*, 2009; 60(4): 419-426.

Rana, S. V. et al., *J Crohns Colitis*, 2014 ; 8(8): 859-865

Rasool, R. et al., *Asia Pac Allergy*, 2014 ; 4(4): 206-11

Robertson, M. D. et al., *J. Clin. Endocrinol. Metab.*, 2012; 97(9): 3326-3332.

Rotter V. et al., *J. Biol. Chem.*, 2003; 278(46): 45777 - 45784

Routsis, C. et al., *Clin Exp Immunol.*, 2005;142(1): 62-7.

Rybka, J. et al., *Clin Exp Med.*, 2015; 16(4): 493-502.

Sell, H. et al., *Am J Physiol Endocrinol Metab.*, 2008;294:E1070-E1077

Shadman, Z. et al., *J Diabetes Metab Disord.*, 2013; 12(1): 42

Shetty, P. et al., *Annals of Clinical Biochemistry*, 2016: 0004563216665867

Shpacovitch V.M. et al., *J. Leukoc. Biol.*, 2004; 76(2): 388 - 398

Sopasakis V. et al., *Obes. Res.*, 2004; 12(3): 454 - 460

Soriano-Izquierdo A. et al., *J. Leukoc. Biol.*, 2004; 75(2): 214 - 223

Souza, L. S. et al., *J Rheumatol.*, 2008; 35(11): 2265-2271.

Stebbing J. et al., *Ann. Onc.*, 2003; 14(11): 1660 - 1666

Stebbing, J. et al., *Clin Exp Immunol.*, 2004; 138(2): 312-6.

Stefansson, B. V. et al., *Nephron Extra*, 2012; 2(1): 55-65.

Sun, Y. et al., *J. Immunol.*, 2008; 180(6): 4173-4181.

Sun, Z. et al., *Cent Eur J Immunol.*, 2014; 39(2): 216-22

Sureda, A. et al., *PLoS One*, 2016; 11(9): e0163371.

Suzuki, N. et al., *Tob Induc Dis.*, 2016; 14: 20.

Szumowska, A. et al., *Clinical and Applied Thrombosis/Hemostasis*, 2016; 22(7): 679-684

Tabibi, H. et al., *Perit. Dial. Int.*, 2016; 36(2): 140-145

Tang, Y. et al., *Am J Trop Med Hyg.*, 2008; 79(2): 154-158.

Tang, Y. et al., *PLoS One*, 2010; 5(12): e15631

Tayal, D. et al., *Indian J Clin Biochem.*, 2014; 29(2): 139-44

Tolahunase, M. et al., *Oxid Med Cell Longev.*,2017; 2017: 7928981.
Toutirais, O. et al.,*Clin Exp Immunol.*,2007 ; 149(2): 372-7
Triantafyllou K. et al., *J. Cell Sci.*, 2001; 114(Pt 13): 2535 - 2545
Tsaganos, T. et al.,*BMC Infect Dis.*,2006; 6: 142.
Tuttolomondo, A. et al., *Cardiovasc Diabetol.*,2010; 9: 50
Tuttolomondo, A. et al.,*PLoS One*,2016; 11(12): e0165443
van Setten, P. A. et al., *Blood*,1996; 88(1): 174-83.
Verghese, B. et al., *Indian J Clin Biochem.*,2011 ; 26(4): 373-7
Versaci, F. et al., *Mayo Clin Proc.*,2012; 87(1): 50-8
Viridis, A., et al.,*Eur. Heart J.*,2015: ehv365
Vita N. et al., *J. Immunol.*, 1997; 158(7): 3457 - 3462
Vollmer J. et al., *Antimicrob. Agents Chemother.*, 2004; 48(6): 2314 - 2317
Vollmer J. et al., *J Leukoc Biol.*, 2004;76(3) : 585 - 593
Vollmer, J. et al.,*Immunology*,2004; 113(2): 212-23.
Walavalkar, V. et al., *Eur J Cardiothorac Surg.*,2016; 49(5): 1403-1410
Williamson, P. A. et al., *Eur. Respir. J.*,2011; 37(1): 206-209
Wong C.K. et al., *Am. J. Respir. Cell Mol. Biol.*, 2005; 33(2): 186 - 194
Wrenger, S. et al., *J. Leukoc. Biol.*,2006; 80(3): 621-629.
Yadav, U. C. S. et al., *J. Immunol.*,2009; 183(7): 4723-4732.
Yadav, U. C. et al., *PLoS One*,2009; 4(8): e6535
Yadav, U. C. et al., *Chem Biol Interact.*,2011; 191(1-3): 339-45
Zhang, Y. et al., *Lupus*, 2011; 20: 1172 - 1181

KIT CONTENT : Pre-coated 12 strip plates, biotinylated secondary antibody, standards, controls (when available), buffers, Streptavidin-HRP, TMB, Stop Reagent.

Calibrated to WHO 89/548

Version 26 - 06.17

For research use only