



Diacclone

DIACLONE Immunology Products

IL-10 ELISA Kit

Human IL-10 ELISA Kit

CATALOGUE N° :	950.060.048, 950.060.096, 950.060.192
SPECIFICITY :	Recognizes both natural and recombinant human IL-10
RANGE :	12.5 pg / ml - 400 pg / ml
SENSITIVITY :	< 5 pg / ml
INCUBATION :	2h40
SAMPLE TYPES :	Serum Plasma Cell culture supernatant
SAMPLE SIZE :	100 µl
CROSS REACTION :	No cross reactivity with other human cytokines Cross reactivity with simian IL-10 No cross reactivity with viral IL-10
KIT SIZE :	48 (Discovery), 96, 192 tests
REFERENCES :	Abbal C. et al., Int. Immunol., 1999; 11(9) : 1451 - 1462 Akbari, F. et al., Iran J Neurol., 2016; 15(2): 75-9. Altokka-Uzun, G. et al., Cephalalgia, 2015: 333102415570762 Bellanger, A-P. et al., Clin. Vaccine Immunol., 2013 ; 20(8): 1133-1142. Beyth S. et al., Blood, 2005; 105(5): 2214 - 2219 Biswas, S. et al., Korean J Intern Med., 2010 ; 25(1): 44-50 Calabro, M. L. et al., Blood, 2009; 113(19): 4525-4533. Cerkienne, Z. et al., Am J Reprod Immunol., 2008; 59(2): 118-26. Chabbert-de Ponnat, I. et al., Int Immunol., 2005; 17(4): 439-47. Chang, Y. et al., FASEB J., 2010; fj.10-162560 Charbonnier, A. S. et al., J Leukoc Biol., 2003; 73(1): 91-9. Chavushyan, A. et al., Schizophr Res Treatment, 2013: 125264 Chen, Z. Q. et al., World J Gastroenterol., 2004; 10(20): 3021-5. Chenivresse, C. et al., J. Immunol., 2012; 189(1): 128-137 Cohen, N. et al., Blood, 2006; 107(5): 2037-44. Convaisier, M. et al., PLoS Biol., 2012; 10(9): e1001395 Cunin, P. et al., J. Immunol., 2011; 186(7): 4175-4182. Das, A. et al., J. Immunol., 2012; 189: 3925-3935 de Nadai, P. et al., J Immunol., 2006; 176(10): 6286-93. Dominguez-Bernal, G. et al., Parasit Vectors, 2015; 8: 629 Doniz-Padilla, L. et al., Eur. J. Endocrinol., 2011 ; 165(1): 129-136 El-Emshaty, H. M. et al., Dis Markers, 2015: 707254 Escolano, A. et al., Embo J., 2014; 33(10): 1117-33 Fernandez-Yunquera, A. et al., World J Transplant, 2014; 4(2): 133-40 Forsbach, A. et al., J. Immunol., 2008; 180(6): 3729-3738. Foucher, E. D. et al., PLoS One, 2013 ; 8(2): e56045 Fu, J. F. et al., World J Gastroenterol., 2009; 15(8): 912-8 Gaayeb, L. et al., Am J Trop Med Hyg., 2014 ; 90(3): 566-573 Gany-Gouy H. et al., Blood, 2002; 100(13): 4537 - 4543 Gombocz, K. et al., Crit Care, 2007; 11(4): R87 Gosset P. et al., J. Immunol., 2003 ; 170(10): 4943 - 4952 Gu, Z. J. et al., Blood, 1996; 88(10): 3972-86. Hamdi, H. et al., Blood, 2007; 110: 211 - 219 Hatzfeld-Charbonnier, A. S. et al., J Leukoc Biol., 2007; 81: 1179 - 1187 Hernandez, C. et al., PLoS One, 2014 ; 9(6): e98458 Holder, B. et al., Traffic, 2016 ; 17(2): 168-78 Iwamoto, S. et al., J Leukoc Biol., 2005; 78(2): 383-92. Jain, S. et al., J. Med. Microbiol., 2009; 58(2): 180-184. Jimeno, R. et al., J. Leukoc. Biol., 2015 ; 98(2): 257-269 Jimeno, R. et al., J Mol Med. (Berl), 2015; 93(4): 457-67 Jouan, J. et al., J. Thorac. Cardiovasc. Surg., 2012; 144(2): 467-4732 Kayaba, H. et al., J Immunol., 2001; 167(2): 995-1003. Kerblat, I. et al., Immunology, 2000; 100(2): 178-84. Kerr J. et al., J. Gen. Vrol., 2001; 82(Pt 12): 3011-3019 Kumpf, O. et al., Crit Care, 2010; 14(3): R103. Kwan, W. H. et al., J Leukoc Biol., 2007; 82: 133 - 141 Kyriakopoulou, M. et al., Mediators Inflamm., 2008: 450196. Laborel-Preneron, E. et al., PLoS One, 2015; 10(10): e0141067 Lasisi, T. J. and A. F. Adeniyi, Afr Health Sci., 2016; 16(2): 560-6. Liao, B. et al., Emerg Microbes Infect., 2015; 4(4): e24

25 YEARS OF EXPERTISE

With over 25 years experience and extensive expertise we are committed to providing excellence in Monoclonal Antibody and Immunoassay development.

The expanding range of Diacclone Immunology products is specifically designed to advance research applications.

Our experience and expertise coupled to the diversity of our product range makes Diacclone a clear choice to

Fast Track Your Research...

DIACLONE PRODUCTS



Monoclonal Antibodies



ELISA



ELISpot



DIAPlex

DIACLONE SAS

6 rue Dr Jean-François-Xavier Girod
- BP 1985
25020 Besançon cedex - France
Tel: +33 (0)3 81 41 38 38
Fax: +33 (0)3 81 41 36 36
info@diacclone.com



www.diacclone.com

Lieblein, J. C. et al., *BMC Cancer*, 2008; 8: 302
 Llorente, L. et al., *Arthritis Rheum.*, 2000; 43(8): 1790-800.
 Loo, W. T. et al., *J Transl Med.*, 2012 10 Suppl 1: S8
 Lu, C. et al., *Lupus*, 2015; 24(1): 18-24
 Lu, Z. Y. et al., *FEBS Lett.*, 1995; 377(3): 515-8.
 Madej, M. et al., *Reumatologia*, 2015; 53(1): 9-13.
 Moniuszko, M. et al., *Inflammation*, 2014; 37(6): 1945-56
 Montes, C. L. et al., *Cancer Res.*, (2008; 68(3): 870-879.
 Moreaux, J. et al., *Blood*, 2011; 117(4): 1280-1290
 Musleh, G. S. et al., *Eur. J. Cardiothorac. Surg.*, 2009; 35(3): 511-514.
 Naisbitt D.J. et al., *J. Pharmacol. Exp. Ther.*, 2005; 313(3): 1058 - 1065
 Naisbitt, D. J. et al., *Mol Pharmacol.*, 2003; 63(3): 732-41.
 Nayebifar, S. et al., *J Res Med Sci.*, 2016; 21: 116.
 Oksenhendler E. et al., *Blood*, 2000; 96(6): 2069 - 2073
 Olivar, R. et al., *J. Immunol.*, 2016; 196(10): 4274-4290
 Paduch, R. et al., *Balkan Med J.*, 2014; 31(1): 29-36
 Pene, J. et al., *J. Immunol.*, 2008; 180(11): 7423-7430.
 Perez S A et al., *Blood*, 2003; 101(9): 3444 - 3450
 Perez S. A. et al., *Blood*, 2005; 106(1): 158 - 166
 Perez, S. A. et al., *Int Immunol.*, 2006; 18(1): 49-58.
 Perez, S. A. et al., *Clin Cancer Res.*, 2007; 13(9): 2714-21.
 Perez-Bercoff D. et al., *J. Virol.*, 2003; 77(7): 4081 - 4094
 Pichavant, M. et al., *J Immunol.*, 2006; 177(9): 5912-9.
 Plant, L. J. and A. B. Jonsson, *Infect Immun.*, 2006; 74(1): 442-8.
 Polz-Dacewicz, M. et al., *Infect Agent Cancer*, 2016; 11: 45.
 Rajappa, M. et al., *Angiology*, 2009; 60(4): 419-426.
 Rajbhaj, P. H. et al., *J Clin Diagn Res.*, 2015; 9(2): CC01-5
 Ralph, C. et al., *Clin. Cancer Res.*, 2010; 16(5): 1662-1672
 Rana, S. V. et al., *J Crohns Colitis*, 2014 ; 8(8): 859-865
 Ratajczak, C. et al., *J Biomed Biotechnol.*, 2007(1): 71921
 Riccio, A M et al., *PLoS One*, 2012; 7(6): e37980
 Rodriguez-Zapata, M. et al., *Infect Immun.*, 2010; 78:3272-3279
 Sadik, C. D. et al., *Nucleic Acids Res.*, 2009; gkp525.
 Saverino D. et al., *J. immunol.*, 2002; 168(1): 207 - 215
 Schif-Zuck, S. et al., *J Immunol.*, 2006; 177(11): 8241-7.
 Schmitt, C. et al., *J Leukoc Biol.*, 2000; 68(6): 836-44.
 Schneider E M et al., *Blood*, 2002; 100(8): 2891 - 2898
 Seguier, S. et al., *PLoS One*, 2013 ; 8(8): e70937
 Sun, Z. et al., *J Biomed Res.*, 2012; 26(6): 456-66
 Tang, Y. et al., *Am J Trop Med Hyg.*, 2008; 79(2): 154-158.
 Tang, Y. et al., *PLoS One*, 2010 5(12): e15631
 Verghese, B. et al., *Indian J Clin Biochem.*, 2011 ; 26(4): 373-7
 Versaci, F. et al., *Mayo Clin Proc.*, 2012; 87(1): 50-8
 Vollmer J. et al., *Antimicrob. Agents Chemother.*, 2004; 48(6): 2314 - 2317
 Vollmer J. et al., *J. Leukoc. Biol.*, 2004; 76(3): 585 - 593
 Vollmer, J. et al., *Immunology*, 2004; 113(2): 212-23.
 Woerly G. et al., *J. Exp. Med.*, 1999; 190(4): 487 -496
 Zhang, Y. et al., *Lupus*, 2011; 20: 1172 - 1181
 Ziesche, E. et al., *Clin Exp Immunol.*, 2009; 157(3): 370-6.

KIT CONTENT : Pre-coated 12 strip plates, biotinylated secondary antibody, standards, controls (when available), buffers, Streptavidin-HRP, TMB, Stop Reagent.

Calibrated to WHO 93/722

Version 27 - 06.17

For research use only