



Diacclone

DIACLONE Immunology Products

TNF- α ELISA Kit

Human TNF- α ELISA Kit

CATALOGUE N° :	950.090.048, 950.090.096, 950.090.192
SPECIFICITY :	Recognizes both natural and recombinant human TNF- α
RANGE :	25 pg / ml - 800 pg / ml
SENSITIVITY :	< 10 pg / ml
INCUBATION :	3h40
SAMPLE TYPES :	Serum Plasma Cell culture supernatant
SAMPLE SIZE :	100 μ l
CROSS REACTION :	No cross reactivity with other human cytokines Cross reactivity with macac TNF- α No interference with soluble TNFR I and TNFR II
KIT SIZE :	48 (Discovery), 96, 192 tests
REFERENCES :	Akbari, F. et al., Iran J Neurol.,2016; 15(2): 75-9. Akbarpour, M.,Biol Sport,2013;30(1): 21-7 Akram Kooshki, A. et al.,Glob J Health Sci.,2015; 7(7 Spec No): 1-5 Angelot, F. et al., Haematologica,2009; 94(11): 1502-1512. Anim-Nyame, N. et al.,Cardiovasc Res.,2003; 58(1): 162-169. Arduise, C. et al., J. Immunol.,2008; 181(10): 7002-7013. Azadbakht, L. et al., Diabetes Care,2007;30(4):967-73 Badoual, C. et al., Cancer Res.,2008; 68(10): 3907-3914. Bielecka-Dabrowa, A. et al.,Int J Mol Sci.,2015; 16(5): 10715-33 Biswas, S. et al.,Korean J Intern Med.,2010; 25(1): 44-50 Capo, X. et al.,Oxid Med Cell Longev.,2015: 187849 Capo, X. et al., Nutrients,2016; 8(10). Chabbert-de Ponnat, I. et al., Int Immunol.,2005; 17(4): 439-47. Chavushyan, A. et al., Schizophr Res Treatment, 2013: 125264 Convaisier, M. et al., PLoS Biol.,2012;10(9): e1001395 Cot, M. et al., PLoS One,2011; 6(10): e26316 Cunin, P. et al., J. Immunol.,2011;186(7): 4175-4182. Cutolo M. et al., Ann. Rheum. Dis, 2005; 64(2): 212 - 216 Cutolo M. et al., Ann. Rheum. Dis, 2005; 65(6): 728-35 Cutolo, M. et al., Arthritis Res Ther.,2009;11(6): R176 Driss, V. et al., Blood,2009; 113(14): 3235-3244. Eilertsen, G. O. et al., Lupus,2011 ; 20(6): 607-613. Engelmann, R. et al., Rheumatology,2015 ; 54(3): 545-553 Fernandez-Yunquera, A. et al., World J Transplant,2014; 4(2): 133-40 Forsbach, A. et al., J. Immunol.,2008;180(6): 3729-3738. Fu, J. F. et al.,World J Gastroenterol.,2009 ; 15(8): 912-8 Garcimartin, A. et al.,BMC Complement Altern Med.,2014; 14: 384 Gautam, A. et al., World J Diabetes,2017; 8(2): 66-73 Giamarellos-Bourboulis, E. J. et al., Crit Care,2006; 10(3): R76 Girard M. et al., Int. J. Parasitol., 2003; 33(7): 713 - 720 Gironella, M. et al., Gut ,2005;54(9): 1244-53. Guffrida, M. J. et al., Influenza Other Respir Viruses,2014; 8(1): 116-22 Gopas, J. et al., Cell Death Dis.,2016; 7(11): e2457 Goswami, B. et al., Cardiovasc J Afr.,2010; 21(2):103-8 Gupta, S. K. et al., Invest. Ophthalmol. Vis. Sci.,2008; 49(9): 4036-4040. Hamdi, H. et al., Blood,2007;110(1):211-219 Hatzfeld-Charbonnier, A. S. et al., J Leukoc Biol.,2007;81: 1179 - 1187 Helbok, R. et al., Am J Trop Med Hyg.,2003; 68(3): 372-5. Hohn, H. et al., Clin Exp Immunol.,2003; 131(1): 102-10 Kashyap, B. et al., J Trop Pediatr., 2011:fmr093 Keller, M. et al., J. Immunol.,2005; 175(11): 7678-86. Kerr J. et al., J. Gen. Vrol., 2001; 82(Pt 12): 3011-3019 Kothny-Wilkes G. et al., J. Biol. Chem., 1999; 274(41): 28916 - 28921 Koussoulas, V. et al.,World J Gastroenterol.,2006; 12(41): 6711-4 Kruger, K. et al., J Appl Physiol.,2011; 110(5): 1226-1232. Kulkarni, R. et al., J Clin Diagn Res.,2013; 7(10): 2140-2 Kumpf, O. et al., Crit Care,2010; 14(3): R103. Kwon K.Y. et al., J. Korean Med. Sci., 2001; 16(6): 774 - 780 Kyriakopoulou, M. et al., Mediators Inflamm., 2008: 450196. Labeta, M. O. et al., J Exp Med.,2000; 191(10): 1807-12.

25 YEARS OF EXPERTISE

With over 25 years experience and extensive expertise we are committed to providing excellence in Monoclonal Antibody and Immunoassay development.

The expanding range of Diacclone Immunology products is specifically designed to advance research applications.

Our experience and expertise coupled to the diversity of our product range makes Diacclone a clear choice to

Fast Track Your Research...

DIACLONE PRODUCTS



Monoclonal Antibodies



ELISA



ELISpot



DIAPlex

DIACLONE SAS

6 rue Dr Jean-François-Xavier Girod
- BP 1985
25020 Besançon cedex - France
Tel: +33 (0)3 81 41 38 38
Fax: +33 (0)3 81 41 36 36
info@diacclone.com



www.diacclone.com

Latz E. et al., J. Biol. Chem., 2002; 277(49): 47834 - 47843

Le Mœur Y. et al., Nephrol. Dial. Transplant., 1999; 14(10) : 2420 - 2426

Legrand, F. et al., J. Immunol., 2010; 185 (12): 7443-7451

Legrand, F. et al., PLoS One, 2009; 4(6): e5926

Lehner, M. et al., J. Leukoc. Biol., 2008; 83: 883 – 893

Lewis, S. et al., Respir Res., 2009; 10: 44

Lindqvist, C. A. et al., Immunology, 2010; 133(3): 296-306.

Loo, W. T. et al., J Transl Med., 2012; 10 Suppl 1: S8

Lelievre, E. et al., Cytokine, 1998; 10(11): 831-40.

Liao, B. et al., Emerg Microbes Infect., 2015; 4(4): e24

Mahalle, N. et al., Indian J Endocrinol Metab., 2014; 18(5): 708-14

Mahalle, N. et al., Ann Med Health Sci Res., 2014; 4(5): 706-12

Mahalle, N. et al., Indian J Endocrinol Metab., 2014 ; 18(1): 48-55

Mahalle, N. et al., Indian J Endocrinol Metab., 2013; 17(5): 844-50

Mazurkiewicz, P. et al., Mbl Microbiol., 2008; 67(6): 1371-83.

Mot, C. et al., Gut, 2014: gutjnl-2013-306604

Mohamed, H. S. and M. M. Meguid, Saudi J Anaesth., 2017; 11(1): 9-14.

Mukhopadhyay, B. et al., Diagn Res 10(2): BC08-10.

Nagao, Y. et al., Malar J., 2008; 7: 113.

Nebor, D. et al., Haematologica, 2011; 96(11): 1589-1594

Niemand C. et al., J. Immunol., 2003; 170(6): 3263 - 3272

Onambele-Pearson, G. L. et al., Age (Dordr), 2010; 32(2): 139-53

Onambele-Pearson, G. L. et al., Age (Dordr), 2010; 32(2): 125-38

Paduch, R. and A. Wozniak, J Ophthalmic Vis Res., 2015; 10(3): 229-37

Paduch, R. et al., Balkan Med J., 2014 ; 31(1): 29-36

Palempalli, U. D. et al., Biochem J., 2009; 419(2): 401-9

Pelekanou, A. et al., Crit Care, 2009 ; 13(6): R172

Perez S A. et al., Blood, 2003; 101(9): 3444 - 3450

Perez S. A. et al., Blood, 2005; 106(1): 158 - 166

Perez, S. A. et al., Int Immunol., 2006; 18(1): 49-58.

Plant, L. J. and A. B. Jonsson, Infect Immun., 2006; 74(1): 442-8.

Polz-Dacewicz, M. et al., Infect Agent Cancer, 2016; 11: 45.

Pritchard, J. et al., Neurology, 2003; 61(9): 1282-4.

Rajappa, M. et al., Angiology, 2009; 60(4): 419-426.

Rana, A. et al., Lupus, 2012; 21(10): 1105-1112

Rana, S. V. et al., J Crohns Colitis, 2014 ; 8(8): 859-865

Rasool, M. et al., PLoS One, 2016; 11(11): e0167149.

Ren, J. G. et al., Journal of Dental Research, 2015: 0022034515592593

Robertson, M. D. et al., J. Clin. Endocrinol. Metab., 2012; 97(9): 3326-3332.

Routsis, C. et al., Clin Exp Immunol., 2005; 142(1): 62-7.

Rytönen, A. et al., Proc Natl Acad Sci., 2007; 104(9): 3502-7.

Salem, M. et al., Clin Transl Gastroenterol., 2015; 6: e12

Salem, M. et al., Clin Exp Immunol., 2015 ; 179(3): 426-34

Salmeri, F. M. et al., Reproductive Sciences, 2014: 1933719114536472

Schaerli P. et al., J. Immunol., 2004; 173(3): 2151 - 2158

Shadman, Z. et al., J Diabetes Metab Disord., 2013; 12(1): 42

Spanou, Z. et al., J Am Soc Nephrol., 2006; 17(10): 2919-27.

Suzuki, N. et al., Tob Induc Dis., 2016; 14: 20.

Tang, Y. et al., Am J Trop Med Hyg., 2008; 79(2): 154-158.

Tang, Y. et al., PLoS One, 2010; 5(12): e15631

Tayal, D. et al., Indian J Clin Biochem., 2014; 29(2): 139-44

Tiwari, S. et al., Endocr. Rev., 2011 ; 32 (03_MeetingAbstracts): P2-100

Tluk, S. et al., Int. Immunol., 2009; 21(5): 607-619.

Trznadel-Grodzka, E. et al., Postepy Hig Med Dosw (Online), 2012; 66: 843-7

Trznadel-Grodzka, E. et al., Postepy Hig Med Dosw (Online), 2012; 66: 848-54

Tsaganos, T. et al., BMC Infect Dis., 2006; 6: 142.

Tuttolomondo, A. et al., PLoS One, 2016; 11(12): e0165443

Vergheze, B. et al., Indian J Clin Biochem., 2011 ; 26(4): 373-7

Vollmer, J. et al., J Exp Med., 2005; 202(11): 1575-85.

Voskaridou, E. et al., Blood (ASH Annual Meeting Abstracts), 2008; 112(11): 3888

Walavalkar, V. et al., Eur J Cardiothorac Surg., 2016; 49(5): 1403-1410

Walther, W. et al., Mbl Cancer Ther., 2007; 6(1): 236-43.

Wrenger, S. et al., J. Leukoc. Biol., 2006; 80(3): 621-629.

Zebrowska, A. et al., Mediators Inflamm., 2014: 936545

Zhou, C. et al., J Neuroinflammation, 2015; 12(1): 200

KIT CONTENT : Pre-coated 12 strip plates, biotinylated secondary antibody, standards, controls (when available), buffers, Streptavidin-HRP, TVB, Stop Reagent.

Calibrated to WHO 87/650