



Diacclone

DIACLONE Immunology Products

CD138 ELISA Kit

Human CD138 ELISA kit

CATALOGUE N° :	950.640.048, 950.640.096, 950.640.192
SPECIFICITY :	Recognizes natural human soluble syndecan-1
RANGE :	8 ng / ml - 256 ng / ml
SENSITIVITY :	< 2.56 ng / ml
INCUBATION :	1h45
SAMPLE TYPES :	Serum Plasma Cell culture supernatant
SAMPLE SIZE :	100 µl
CROSS REACTION :	No cross reactivity with other human soluble molecules
KIT SIZE :	48 (Discovery), 96, 192 test
REFERENCES :	Adepu, S. et al., Am J Physiol Renal Physiol.,2015; 309(2): F137-145 Andersen N.F. et al.,Br J Haematol.,2005;128:210-217 Annecke, T. et al., Br. J. Anaesth.,2010;104(4): 414-421 Benad-Mehner, P. et al., J Bone Oncol.,2014; 3(1): 18-24 Bruegger D. et al., Am J Physiol Heart Circ Physiol, 2005; 289(5):H1993-9 Bruegger, D. et al., J. Thorac. Cardiovasc. Surg.,2009;138(6): 1445-1447. Cekic, C. et al., Gastroenterol Res Pract.,2015: 850351 Celie, J. W. A. M. et al., Am J Physiol Renal Physiol.,2008; 294(1): F253-263. Chappell, D. et al., Cardiovasc Res.,2009; 83(2): 388-396. Chappell, D. et al., Crit Care,2014; 18(5): 538 Cigliana, G. et al., J Exp Clin Cancer Res., 2015;34(1):37 Connolly-Andersen, A-M et al., Open Forum Infect Dis.,2014; 1(1): ofu027- Dogne, S. et al., Diabetes,2016 ; 65(9): 2742-2753 Donati, A. et al., Crit Care,2014; 18(1): R33 Gandley, R. E. et al., PLoS One,2016; 11(6): e0157608 Hahn, R. G. et al., PLoS One,2016; 11(10): e0164152 Haywood-Watson, R. J. et al., PLoS One,2011;6(8): e23530 Hofmann-Kiefer, K. F. et al., Reproductive Sciences, 2013; 20:318-325 Iwata, H. et al., Haematologica,2004; 89(3): 368-370. Janosi, J. et al., Haematologica,2004; 89(3): 370-371. Jilani I. et al., Int J Lab Hematol.,2009; 31:97-105 Joensuu H. et al., Cancer Res., 2002; 62(18): 5210-7 Johansson, L. et al., J Immunol.,2005; 175(1): 433-40 Johansson, P. I. et al., PLoS One,2015; 10(3): e0120914 Johansson, P. I. et al., Front Physiol.2014; 5: 459 Johansson, P. I. et al., Crit Care,2011; 15(6): R272 Johansson, P. I. et al., J Emerg Trauma Shock,2013;6(3):171-5 Johansson, P. I. et al., Ann Surg.,2016; 265(3): 597-603. Kamat, P. et al., J Inflamm.(Lond),2012; 9(1): 18. Kim, J. M. et al., Korean J Hematol.,2010; 45(2): 115-9 Kliment, C. R. et al., J. Biol. Chem.,2009; 284(6): 3537-3545. Kristensen, I.B. et al., Blood (ASH Annual Meeting Abstracts),2012;120:3977 Kyrtonis M.C. et al., Blood, 2004; 104(11): 4882 Kyrtonis, M-C. et al., Blood (ASH Annual Meeting Abstracts),2005;106(11): 3404. le Poole, C. Y. et al., Perit Dial Int.,2012; 32(3): 305-15 Long, D. S. et al., BMJ Open,2016; 6(12): e011244. Lovell R. et al., Br J Haematol.,2005; 130:542-548 Mahtouk, K. et al., Blood,2007;109: 4914 - 4923 Maisnar V. et al., Neoplasma.2006;53:26-29 Meuwese, M. C. et al., J. Lipid Res.,2008; P800025-JLR200. Molica, S. et al., Leuk Lymphoma, 2006; 47(6): 1034-40. Molica, S. et al., Adv Hematol.,2009: 287974 Mundt, F. et al., PLoS One,2013; 8(8): e72030 Mundt, F. et al., Biomed Res Int.,2014:419853 Nault, J.-C. et al., Cancer Epidemiol. Biomarkers Prev.,2013; 22(8): 1343-1352. Ostrowski, S. R. et al., Crit Care,2015; 19:191 Ostrowski, S. R. et al., Crit Care,2013; 17(1): R32 Ostrowski, S. R. et al., Scand J Trauma Resusc Emerg Med.,2012; 20: 27. Peterfia, B. et al., PLoS One,2012; 7(6): e39474 Qing, Q. et al., J Cell Mbl Med.,2015;19(6): 1366-74 Rehm, M. et al., Circulation,2007; 116(17): 1896-1906.

25 YEARS OF EXPERTISE

With over 25 years experience and extensive expertise we are committed to providing excellence in Monoclonal Antibody and Immunoassay development.

The expanding range of Diacclone Immunology products is specifically designed to advance research applications.

Our experience and expertise coupled to the diversity of our product range makes Diacclone a clear choice to

Fast Track Your Research...

DIACLONE PRODUCTS



Monoclonal Antibodies



ELISA



ELISpot



DIAPlex

DIACLONE SAS

6 rue Dr Jean-François-Xavier Girod
- BP 1985
25020 Besançon cedex - France
Tel: +33 (0)3 81 41 38 38
Fax: +33 (0)3 81 41 36 36
info@diacclone.com



www.diacclone.com

Ronsholt, F. F. et al., *BMC Infect Dis.*,2015; 15: 388.
Rossi, J. F. et al., *Br J Cancer*,2009; 101(7): 1051-8.
Schaar, C. G. et al., *Haematologica*,2005; 90(10): 1437-1438.
Seidel C. et al., *Blood*, 2000; 95(2): 388 - 392
Snoeijs, M. G. et al., *Am J Physiol Renal Physiol.*,2010; 299(5): F1134-1140.
Szarvas T. et al.,*Hum Pathol.*,2014;45:674-682
Theocharis, A. D. et al., *J Biol Chem.*,2006; 281(46): 35116-28.
Thiara, A. S. et al, *Perfusion*,2010; 25(1): 9-16
Thiara, A. S. et al., *Perfusion*,2011; 26(2): 107-114
Vassilakopoulos T.P.et al.,*Anticancer Res.*,2005; 25:4743-4746
Mahu, C. A et al.,*J. Am. Soc. Nephrol.*, 2012; 23: 1900-1908
Wang X et al., *Br J Cancer.*,2014;111:1965-1976
Wolowiec, D. et al.,*Mediators Inflamm.*, 2006(3): 42394.
Zausig, Y. A et al.,*Crit Care*,2013; 17(5): R203
Zibel, I. et al., *Liver Int.*,2009;29(2):208-12

KIT CONTENT :

Pre-coated 12 strip plates, biotinylated secondary antibody, standards, controls (when available), buffers, Streptavidin-HRP, TMB, Stop Reagent.

Version 20 - 06.17

For research use only