ARA70 IHC Antibody

Rabbit Polyclonal

Antigen Affinity Purified Protein ID NP_005428.1

Catalog No. IHC-00649-T GeneID 8031

Lot No. IHC-00649-T-1

APPLICATIONS IHC

SPECIES REACTIVITY Human

CONCENTRATION 50 μg/ml

STORAGE/SHELF LIFE 2 – 8° C / 1 year from date of receipt

10 µl

PHYSICAL STATE Liquid

BUFFER Tris-buffered Saline containing 0.1% BSA and 0.09% Sodium Azide

ISOTYPE IgG
ORIGIN USA

PRODUCTION PROCEDURES

AMOUNT

Antibody was affinity purified using an epitope specific to ARA70 immobilized on solid support.

The epitope recognized by IHC-00649-T maps to a region between residue 500 and 550 of human 70 kDa AR-activator (nuclear receptor coactivator 4) using the numbering given in entry

NP_005428.1 (GeneID 8031).

Immunoglobulin concentration was determined by extinction coefficient: absorbance at 280 nm

of 1.4 equals 1.0 mg of IgG.

APPLICATIONS Centrifuge tube to remove product from lid. Optimal working dilutions should be determined

experimentally by the investigator. Prepare working dilution immediately before use.

Immunohistochemistry 1:100 - 1:500

APPLICATION NOTES Epitope exposure is recommended.

Epitope exposure with citrate buffer will enhance staining.

Likely to work with frozen sections.

In some cases, the antibody may be diluted further than indicated.

IHC HUMAN CONTROLS Breast Carcinoma, Prostate Carcinoma


ADDITIONAL INFO https://www.bethyl.com/product/IHC-00649-T

Use the link above to view SDS, a current list of citations, and other product specific information.

This document certifies that this product has met all of the quality control standards defined by Bethyl Laboratories, Inc. Eric McIntush, PhD | Chief Scientific Officer

Date: June 21, 2019





Detection of human ARA70 by immunohistochemistry. *Sample:* FFPE section of human prostate carcinoma. *Antibody:* Affinity purified rabbit anti-ARA70 (Cat. No. IHC-00649-T) used at a dilution of 1:250. *Detection:* DAB