



## Human COMP AccuSignal ELISA Kit - KOA0550

**Code:** KOA0550

**Size:** 1 Kit

**Product Description:** Human COMP AccuSignal ELISA Kit - KOA0550

**Concentration:** 1 Kit

**PhysicalState:**

|                               |  |
|-------------------------------|--|
| <b>Label</b>                  | Unconjugated   |
| <b>Gene Name</b>              | COMP   |
| <b>Species Reactivity</b>     | Human  |
| <b>Storage Condition</b>      | Store vials at 4°C prior to opening. Centrifuge product if not completely clear after standing at room temperature. This product is stable for 6 months at 4°C as an undiluted liquid. Dilute only prior to immediate use. For extended storage freeze at -20°C or below for 12 months. Avoid cycles of freezing and thawing.  |
| <b>Synonyms</b>               | cartilage oligomeric matrix protein (pseudoachondroplasia, epiphyseal dysplasia 1, multiple), Cartilage oligomeric matrix protein, Cartilage oligomeric matrix protein precursor, COMP, COMP_HUMAN, EDM 1, EDM1, EPD 1, EPD1, Epiphyseal dysplasia 1, Epiphyseal dysplasia 1 multiple, Epiphyseal dysplasia multiple 1, MED, MGC13181, MGC149768, PSACH, pseudoachondroplasia (epiphyseal dysplasia 1, multiple), Pseudoachondroplasia, THBS 5, THBS5, Thrombospondin 5, Thrombospondin-5, Thrombospondin5, TSP5                                     |
| <b>Application Note</b>       | Useful in Sandwich ELISA for Quantitative Detection of Antigen. Aliquot 0.1ml per well of the 10000pg/ml, 5000pg/ml, 2500pg/ml, 1250pg/ml, 625pg/ml, 312pg/ml, 156pg/ml human COMP standard solutions into the precoated 96-well plate. Add 0.1ml of the sample diluent buffer into the control well (Zero well). Add 0.1ml of each properly diluted sample of human cell culture supernates, serum or plasma (heparin, EDTA) to each empty well. It is recommended that each human COMP standard solution and each sample be measured in duplicate. |
| <b>Background</b>             | Cartilage oligomeric matrix protein is a protein that in humans is encoded by the COMP gene. The sequences of rat and bovine COMP indicate that it is a member of the thrombospondin gene family. By Southern blot analysis of a somatic cell hybrid DNA panel and by isotopic in situ hybridization, human COMP gene was mapped to 19p13.1, and the murine COMP gene was mapped to the central region of mouse chromosome 8 by use of an interspecific backcross mapping panel. COMP is a marker of cartilage turnover.                             |
| <b>Purity And Specificity</b> | Natural and recombinant human COMP. There is no detectable cross-reactivity with other relevant proteins.  |
| <b>ELISA</b>                  | 156pg/ml-10000pg/ml  |
| <b>Expiration</b>             | See kit insert for complete instructions.  |
| <b>Immunogen</b>              | Expression system for standard: NSO; Immunogen sequence: Q21-A757  |
| <b>Anti-Coagulant</b>         | Heparin Sodium   |

### Related Products

|             |   |
|-------------|---|
| MB-008      | 10X PBS pH 7.2 (0.2 M Potassium Phosphate 1.5 M Sodium Chloride) - MB-008                             |
| MB-012      | 10X TBS pH 7.5 (1.0 M Tris HCl 1.5 M Sodium Chloride) - MB-012  |
| MB-013      | 10X TTBS pH 7.5 (1.0 M Tris HCl 1.5 M Sodium Chloride 0.1% (w/v) Tween-20) - MB-013                   |
| MB-075-1000 | 10X PBST (0.2 M Potassium Phosphate 1.5 M Sodium Chloride, 0.5% (v/v) Tween-20, pH 7.2) - MB-075-1000 |

### Related Links

UniProtKB - P49747

<http://www.uniprot.org/uniprot/P49747>

NCBI - [http://www.ncbi.nlm.nih.gov/protein/NP\\_000086.2](http://www.ncbi.nlm.nih.gov/protein/NP_000086.2)

GeneID - 1311


<http://www.ncbi.nlm.nih.gov/sites/entrez?db=gene&term=1311>

KOA0550 Protocol <http://www.rockland-inc.com/uploadedfiles/Support/KOA0550-%20SZ.pdf>

## Images

1

Human COMP AccuSignal ELISA Kit standard curve. Assay Range: 156pg/ml-10000pg/ml. Sensitivity: <10pg/ml.



## Disclaimer

This product is for research use only and is not intended for therapeutic or diagnostic applications. Please contact a technical service representative for more information. All products of animal origin manufactured by Rockland Immunochemicals are derived from starting materials of North American origin. Collection was performed in United States Department of Agriculture (USDA) inspected facilities and all materials have been inspected and certified to be free of disease and suitable for exportation. All properties listed are typical characteristics and are not specifications. All suggestions and data are offered in good faith but without guarantee as conditions and methods of use of our products are beyond our control. All claims must be made within 30 days following the date of delivery. The prospective user must determine the suitability of our materials before adopting them on a commercial scale. Suggested uses of our products are not recommendations to use our products in violation of any patent or as a license under any patent of Rockland Immunochemicals, Inc. If you require a commercial license to use this material and do not have one, then return this material, unopened to: Rockland Inc., P.O. BOX 5199, Limerick, Pennsylvania, USA.