



Mouse Thrombomodulin AccuSignal ELISA Kit - KOA6039

Code: KOA0639

Size: 1 Kit

Product Description: Mouse Thrombomodulin AccuSignal ELISA Kit - KOA6039

PhysicalState:

Label	Unconjugated								
Gene Name	THBD								
Species Reactivity	Mouse								
Storage Condition	Store vials at 4°C prior to opening. Centrifuge product if not completely clear after standing at room temperature. This product is stable for 6 months at 4°C as an undiluted liquid. Dilute only prior to immediate use. For extended storage freeze at -20°C or below for 12 months. Avoid cycles of freezing and thawing.								
Synonyms	CD141, CD141 antigen, Fetomodulin, ThbdTHR, Thrombomodulin, TM, TRBM_HUMAN								
Application Note	Useful in Sandwich ELISA for Quantitative Detection of Antigen. Aliquot 0.1ml per well of the 4000pg/ml, 2000pg/ml, 1000pg/ml, 500pg/ml, 250pg/ml, 125pg/ml, 62.5pg/ml mouse Thrombomodulin standard solutions into the precoated 96-well plate. Add 0.1ml of the sample diluent buffer into the control well (Zero well). Add 0.1ml of each properly diluted sample of mouse cell culture supernates, serum, plasma(heparin, EDTA, citrate) or urine to each empty well. We recommend that each mouse Thrombomodulin standard solution and each sample is measured in duplicate.								
Background	Thrombomodulin(TM), CD141 or BDCA-3 is an integral membrane protein expressed on the surface of endothelial cells and serves as a cofactor for thrombin. It reduces blood coagulation by converting thrombin to an anticoagulant enzyme from a procoagulant enzyme. Thrombomodulin is also expressed on human mesothelial cell, monocyte and a dendritic cell subset. In humans, thrombomodulin is encoded by the THBD gene. The protein has a molecular mass of 74kDa, and consists of a single chain with 5 distinct domains. Thrombomodulin functions as a cofactor in the thrombin-induced activation of protein C in the anticoagulant pathway by forming a 1:1 stoichiometric complex with thrombin. This raises the speed of protein C activation thousandfold. Thrombomodulin-bound thrombin has procoagulant effect at the same time by inhibiting fibrinolysis by cleaving thrombin-activatable fibrinolysis inhibitor(TAFI,aka carboxypeptidase B2) into its active form. Thrombomodulin is a glycoprotein on the surface of endothelial cells that, in addition to binding thrombin, regulates C3b inactivation by factor I. Mutations in the thrombomodulin gene(THBD) have also been reported to be associated with atypical hemolytic-uremic syndrome(aHUS).								
Purity And Specificity	Natural and recombinant mouse Thrombomodulin. There is no detectable cross-reactivity with other relevant proteins.								
ELISA	62.5pg/ml-4000pg/ml								
Expiration	See kit insert for complete instructions.								
Immunogen	Expression system for standard: NSO; Immunogen sequence: L17-S517								
Anti-Coagulant	Heparin Sodium								
Related Products	<table><tr><td>MB-008</td><td>10X PBS pH 7.2 (0.2 M Potassium Phosphate 1.5 M Sodium Chloride) - MB-008</td></tr><tr><td>MB-012</td><td>10X TBS pH 7.5 (1.0 M Tris HCl 1.5 M Sodium Chloride) - MB-012</td></tr><tr><td>MB-013</td><td>10X TTBS pH 7.5 (1.0 M Tris HCl 1.5 M Sodium Chloride 0.1% (w/v) Tween-20) - MB-013</td></tr><tr><td>MB-075-1000</td><td>10X PBST (0.2 M Potassium Phosphate 1.5 M Sodium Chloride, 0.5% (v/v) Tween-20, pH 7.2) - MB-075-1000</td></tr></table>	MB-008	10X PBS pH 7.2 (0.2 M Potassium Phosphate 1.5 M Sodium Chloride) - MB-008	MB-012	10X TBS pH 7.5 (1.0 M Tris HCl 1.5 M Sodium Chloride) - MB-012	MB-013	10X TTBS pH 7.5 (1.0 M Tris HCl 1.5 M Sodium Chloride 0.1% (w/v) Tween-20) - MB-013	MB-075-1000	10X PBST (0.2 M Potassium Phosphate 1.5 M Sodium Chloride, 0.5% (v/v) Tween-20, pH 7.2) - MB-075-1000
MB-008	10X PBS pH 7.2 (0.2 M Potassium Phosphate 1.5 M Sodium Chloride) - MB-008								
MB-012	10X TBS pH 7.5 (1.0 M Tris HCl 1.5 M Sodium Chloride) - MB-012								
MB-013	10X TTBS pH 7.5 (1.0 M Tris HCl 1.5 M Sodium Chloride 0.1% (w/v) Tween-20) - MB-013								
MB-075-1000	10X PBST (0.2 M Potassium Phosphate 1.5 M Sodium Chloride, 0.5% (v/v) Tween-20, pH 7.2) - MB-075-1000								

Related Links

[UniProtKB - P15306](#)

<http://www.uniprot.org/uniprot/P15306>

NCBI - [NP_033404.1](http://www.ncbi.nlm.nih.gov/protein/NP_033404.1)

GeneID - 21824

<http://www.ncbi.nlm.nih.gov/sites/entrez?db=gene&term=21824>


KOA0639 Protocol <http://www.rockland-inc.com/uploadedfiles/Support/KOA0639-TEB.pdf>

Images

1

Mouse Thrombomodulin AccuSignal ELISA Kit standard curve.
Assay Range: 62.5pg/ml-4000pg/ml. Sensitivity: <10pg/ml.

Mouse Thrombomodulin ELISA Kit



Disclaimer

This product is for research use only and is not intended for therapeutic or diagnostic applications. Please contact a technical service representative for more information. All products of animal origin manufactured by Rockland Immunochemicals are derived from starting materials of North American origin. Collection was performed in United States Department of Agriculture (USDA) inspected facilities and all materials have been inspected and certified to be free of disease and suitable for exportation. All properties listed are typical characteristics and are not specifications. All suggestions and data are offered in good faith but without guarantee as conditions and methods of use of our products are beyond our control. All claims must be made within 30 days following the date of delivery. The prospective user must determine the suitability of our materials before adopting them on a commercial scale. Suggested uses of our products are not recommendations to use our products in violation of any patent or as a license under any patent of Rockland Immunochemicals, Inc. If you require a commercial license to use this material and do not have one, then return this material, unopened to: Rockland Inc., P.O. BOX 5199, Limerick, Pennsylvania, USA.