



# **METTL10, NT (METTL10, C10orf138, Methyltransferase-like protein 10) (APC)**

## **Catalog number**

038384-APC

## **Supplier**

United States Biological

## **Applications:**

Suitable for use in Western Blot, Immunohistochemistry, Flow Cytometry, FLISA

## **Recommended Dilution**

FLISA: 1:1,000

Western Blot: 1:100-500

Immunohistochemistry: 1:50-100

Flow Cytometry: 1:10-50

## **Storage and Stability**

Store product at 4°C in the dark. DO NOT FREEZE! Stable at 4°C for 12 months after receipt as an undiluted liquid. Dilute required amount only prior to immediate use. Further dilutions can be made in assay buffer. Caution: APC conjugates are sensitive to light. For maximum recovery of product, centrifuge the original vial prior to removing the cap.

## **Note**

Applications are based on unconjugated antibody.

## **Immunogen**

METTL10 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 36-65 amino acids from the N-terminal region of human METTL10.

## **Formulation**

Supplied as a liquid in PBS, pH 7.2. No preservative added. Labeled with Allophycocyanin (APC).

## **Purity**

Purified by Protein A affinity chromatography.

## **Specificity**

Human

## **Product Type**

Pab

## **Source**

human

## **Isotype**

IgG

**Grade**

Affinity Purified

**Applications**

FC FL IHC WB

**Crossreactivity**

Hu

**Storage**

4°C Do Not Freeze

**Detection Method**

APC

**Reference**

Grupe, A., et al. Am. J. Hum. Genet. 78(1):78-88(2006)