



ZC3H15, CT (ZC3H15, DFRP1, LEREPO4, Zinc finger CCCH domain-containing protein 15, DRG family-regulatory protein 1, Likely ortholog of mouse immediate early response erythropoietin 4) (AP)

Catalog number

044018-AP

Supplier

United States Biological

Protects DRG1 from proteolytic degradation (By similarity).

Applications

Suitable for use in Western Blot, Immunohistochemistry, ELISA

Recommended Dilution

ELISA: 1:1,000

Western Blot: 1:100-500

Immunohistochemistry: 1:50-100

Storage and Stability

Store product at 4°C. DO NOT FREEZE! Stable at 4°C for 12 months after receipt as an undiluted liquid. Dilute required amount only prior to immediate use. Further dilutions can be made in assay buffer. For maximum recovery of product, centrifuge the original vial prior to removing the cap.

Note

Applications are based on unconjugated antibody.

Immunogen

ZC3H15 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 370-399 amino acids from the C-terminal region of human ZC3H15.

Formulation

Supplied as a liquid in PBS, pH 7.2. No preservative added. Labeled with Alkaline Phosphatase (AP).

Purity

Purified by Protein A affinity chromatography.

Specificity

Human

Product Type

Pab

Source



human

Isotype

IgG

Grade

Affinity Purified

Applications

E IHC WB

Crossreactivity

Hu

Storage

4°C Do Not Freeze

Detection Method

AP

Reference

Lamesch, P., et al. Genomics 89(3):307-315(2007)

Olsen, J.V., et al. Cell 127(3):635-648(2006)

Gregory, R.C., et al. Cytokine 12(7):845-857(2000)