



CDH8, NT (Cadherin-8, CADH8, Cadherin 8) (Biotin)

Catalog number

C0107-11-Biotin

Supplier

United States Biological

CDH8 is a type II classical cadherin from the cadherin superfamily, integral membrane proteins that mediate calcium-dependent cell-cell adhesion. Mature cadherin proteins are composed of a large N-terminal extracellular domain, a single membrane-spanning domain, and a small, highly conserved C-terminal cytoplasmic domain. The extracellular domain consists of 5 subdomains, each containing a cadherin motif, and appears to determine the specificity of the protein's homophilic cell adhesion activity. Type II (atypical) cadherins are defined based on their lack of a HAV cell adhesion recognition sequence specific to type I cadherins. This particular cadherin is expressed in brain and is putatively involved in synaptic adhesion, axon outgrowth and guidance.

Applications

Suitable for use in ELISA, Western Blot, and Immunohistochemistry. Other applications not tested.

Recommended Dilution

ELISA: 1:1,000

Western Blot: 1:50-1:100

Immunohistochemistry: 1:10-1:50

Optimal dilutions to be determined by the researcher.

Storage and Stability

Store product at 4°C if to be used immediately within two weeks. For long-term storage, aliquot to avoid repeated freezing and thawing and store at -20°C. Aliquots are stable at -20°C for 12 months after receipt. Dilute required amount only prior to immediate use. Further dilutions can be made in assay buffer. For maximum recovery of product, centrifuge the original vial after thawing and prior to removing the cap.

Note

Applications are based on unconjugated antibody.

Immunogen

KLH-conjugated synthetic peptide mapping to a fragment of residues within amino acids 33-63 in the N-terminal region of human CDH8, UniProt Accession #NP_001787; P55286.

Formulation

Supplied as a liquid in PBS, pH 7.2. No preservative added. Labeled with Biotin.

Purity

Purified by Protein A affinity chromatography.

Specificity

Recognizes human CDH8.

**Product Type**

Pab

Source

human

Isotype

IgG

Grade

Affinity Purified

Applications

E IHC WB

Crossreactivity

Hu

Storage

-20°C

MW

88.253

Detection Method

Biotin

Reference

1. Blaschke,S., Int. J. Cancer 101(4), 327-334 (2002). 2. Shimoyama,Y., Biochem. J. 349(PT 1), 159-167 (2000).