Metabolism Assay Kits Oxidative Stress

Elabscience®

Elabscience Biotechnology Co., Ltd

Web: www.elabscience.com
Tel: 1-240-252-7368
Email: techsupport@elabscience.com



CATALOGUE

| 1 Metabolism assay kits | | |
|-----------------------------------|----|--|
| 2 Product advantage | | |
| 3 Oxidative stress | | |
| 3.1 Oxidative stress introduction | 04 | |
| 3.2 Oxidative stress assay | 05 | |
| 3.2.1 Reactive oxygen species | 06 | |
| 3.2.2 Antioxidant capacity | 08 | |
| 3.2.3 Oxidation products | 11 | |
| 4 Publications | | |
| 5 References | | |
| 6 Products explanation | | |

Elabscience®

METABOLISM ASSAY KITS

Elabscience specializes in immunodiagnostic technology for life science community, which has become a professional and reliable supplier of scientific research products through the unremitting efforts of employees. The products have passed ISO9001 and CE certification while widely being recognized by the (global) market and trusted by customers from more than 100 countries on 5 continents.

Elabscience has developed wide range metabolism assay kits to meet the requirements of researchers for rapid and efficient detections of biochemical indicators by simple operation, high sensitive and great performance during the year's innovation.

PRODUCT ADVANTAGE

⊗ QC system:

Strictly control from R&D to production and delivery of the kit;

♦ Performance:

Intra-CV<5%, Inter-CV<10%; Recovery rate: $100\pm5\%$; R²: > 0.99;

Sample types: Sample types:

Biological fluids, tissues, cell, plant, drug etc, providing sample reference dilution ratio;

Solution Simple Simp

Spectrophotometer, Microplate reader, Fluorescence Microplate;

⊗ Research areas:

Oxidative stress, Liver and kidney function, amino acids and proteins, plant stress resistance and other fields;


Second Support: Second Support:

Professional team provides timely and efficient services, responding to all kinds of pre-sales/ after-sales questions in 24 hours;

OXIDATIVE STRESS


OXIDATIVE STRESS INTRODUCTION

Oxidative stress refers to the process of oxidative damage caused by the imbalance of the generation and clearance of oxygen free radicals in body or cells.



The occurrence and function of oxidative stress[1]


Oxidative stress promotes the occurrence and development of multiple diseases, such as cancer, cardiovascular disease, and diabetes. Oxidative stress is widely applied to medicinal and disease mechanism research.



Oxidative stress and related diseases[2]

OXIDATIVE STRESS ASSAY


When cells are subjected to oxidative stress, their oxidative capacity is enhanced while their anti-oxidant capacity is weakened. Oxidative stress can be evaluated by measuring the changes in the content of oxidants, oxidation products and antioxidant substances directly or indirectly. Elabscience has developed a variety of kits to accurately determine oxidative stress related metabolites such as reactive oxygen species, catalase, and lipid peroxides.



Characteristics and related markers of oxidative stress

REACTIVE OXYGEN SPECIES

Reactive oxygen species (ROS) are some active chemicals produced in the process of metabolism, including oxygen free radicals and hydrogen peroxide. ROS is necessary to organisms but also harmful in certain circumstances. Excessive ROS is the main factor leading to oxidative stress, and so the related substances are the common indicators to evaluate oxidative stress.




ROS related kits

| Marker | Product Name | Cat# |
|----------------|---------------------------------------------------------------------------|-------------|
| H2O2 | Hydrogen Peroxide (H ₂ O ₂) Fluorometric Assay Kit | E-BC-F001 |
| H2O2 | Hydrogen Peroxide (H ₂ O ₂) Colorimetric Assay Kit | E-BC-K102-M |
| ROS OH | Reactive Oxygen Species (ROS) Fluorometric Assay Kit | E-BC-K138-F |
| | Hydroxyl Free Radical Scavenging Capacity Assay Kit | E-BC-K527-M |
| TOS | Total Oxidant Status (TOS) Colorimetric Assay Kit | E-BC-K802-M |
| XOD | Xanthine Oxidase (XOD) Activity Fluorometric Assay Kit | E-BC-F019 |
| O2 | Inhibition And Production Of Superoxide Anionic Colorimetric Assay Kit | E-BC-K001-M |
| NO | Nitric Oxide (NO) Colorimetric Assay Kit | E-BC-K035-M |
| 110 | Nitric Oxide (NO) Colorimetric Assay Kit | E-BC-K035-S |



- ♦ Hydrogen Peroxide (H₂O₂) Fluorometric Assay Kit (E-BC-F001) ◆
- ① Sensitivity: 0.02 μmol/L




2 Specificity: detection principle of "Enzyme+ fluorescence probe"




Ex/Em=535nm/585nm

③ Operating steps: result can be detected after 2 steps



ANTIOXIDANT CAPACITY

There is a set of antioxidant mechanisms in organism to maintain the balance of ROS in the body. The ROS clearance mechanisms can be roughly divided into enzymatic antioxidants and non-enzymatic antioxidants. Measuring the levels of antioxidant including superoxide dismutase (SOD), catalase (CAT), glutathione peroxidase, and non-enzymatic antioxidants including glutathione, vitamins can assess the status of oxidative stress.



The removal of the ROS[4]

Elabscience®

Antioxidant capacity kit

| Marker | Product Name | Cat# |
|---------------|--------------------------------------------------------------------|-------------|
| CAT | Catalase (CAT) Activity Fluorometric Assay Kit | E-BC-F006 |
| CAT | Catalase (CAT) Activity Assay Kit | E-BC-K031-M |
| MPO | Myeloperoxidase (MPO) Peroxidation Activity Fluorometric Assay Kit | E-BC-F013 |
| MPO | Myeloperoxidase (MPO) Activity Assay Kit | E-BC-K074-M |
| T-SOD | Total Superoxide Dismutase Activity Assay Kit (WST-1 Method) | E-BC-K020-M |
| POD | Peroxidase (POD) Activity Assay Kit (Plant Samples) | E-BC-K227-M |
| GSH | Reduced Glutathione (GSH) Colorimetric Assay Kit | E-BC-K030-M |
| APX | Ascorbate Peroxidase (APX) Activity Assay Kit | E-BC-K353-S |
| GSH-Px | Glutathione Peroxidase (GSH-Px) Activity Assay Kit | E-BC-K096-M |
| GST | Glutathione-S-Transferase (GST) Activity Assay Kit(DTNB method) | E-BC-K800-M |
| T-GSH | Total Glutathione (T-GSH) Colorimetric Assay Kit | E-BC-K097-M |
| Total Thiol | Total Sulfhydryl Group/Total Thiol (-SH) Colorimetric Assay Kit | E-BC-K265-M |
| VE | Vitamin E (VE) Colorimetric Assay Kit | E-BC-K033-M |
| VC | Vitamin C (VC) Colorimetric Assay Kit | E-BC-K034-M |
| T-AOC | Total Antioxidant Capacity (T-AOC) Colorimetric Assay Kit | E-BC-K136-M |
| T-AUC | Total Antioxidant Capacity (T-AOC) Colorimetric Assay Kit (ABTS) | E-BC-K271-M |
| TAS | Total Antioxidant Status (TAS) Colorimetric Assay Kit | E-BC-K801-M |
| Flavonoids | Plant Flavonoids Colorimetric Assay Kit | E-BC-K284-M |
| Total Phenols | Total Phenols Colorimetric Assay Kit (Plant samples) | E-BC-K354-M |

Product presentation

◆ Total Superoxide Dismutase(T-SOD) Activity Assay Kit (WST-1 Method) (E-BC-K020-M) ◆

1) Product feature


■ Sample volume: 0.02 mL/well

Reaction time: 20 min

Sample size: 92 sample/96T

② Application


a) Disease mechanism research



Sample type: rat liver

Resources: Wong S K, Chin K, Ahmad F., et al. Biochemical and histopathological assessment of liver in a rat model of metabolic syndrome induced by high - carbohydrate high - fat diet[J]. Journal of Food Biochemistry, 2020, 44.

b) Drug evaluation




Sample type: mouse brain

Resources: Abubakar K, Mailafiya M M, Danmaigoro A, et al. Curcumin Attenuates Lead-Induced Cerebellar Toxicity in Rats via Chelating Activity and Inhibition of Oxidative Stress[J]. Biomolecules, 1801, 9(9).

OXIDATION PRODUCTS

Lipid peroxidation

Lipid peroxidation is the oxidation of carbon-carbon double bonds in lipids by reactive oxygen species to form unsaturated lipids. The products of lipid peroxidation are Malonaldehyde (MDA) and 4-hydroxynon-enal (HNE). Lipid peroxidation damages the biofilm and its function by changes in cell membrane fluidity and permeability, and ultimate changes in cell structure and function.



Lipid peroxidation kit

| Marker | Product Name | Cat# |
|--------|--------------------------------------------------------------|-------------|
| | Malondialdehyde (MDA) Colorimetric Assay Kit (TBA Method) | E-BC-K025-M |
| | Malondialdehyde (MDA) Colorimetric Assay Kit (TBA Method) | E-BC-K025-S |
| MDA | Malondialdehyde (MDA) Colorimetric Assay Kit (Plant Samples) | E-BC-K027-M |
| | Malondialdehyde (MDA) Colorimetric Assay Kit (Plant Samples) | E-BC-K027-S |
| | Malondialdehyde (MDA) Colorimetric Assay Kit (Cell Samples) | E-BC-K028-M |
| TDADC | Thiobarbituric Acid Reactants (TBARS) Colorimetric Assay Kit | E-BC-K298-M |
| TBARS | Thiobarbituric Acid Reactants (TBARS) Colorimetric Assay Kit | E-BC-K298-F |
| LPO | Lipid Peroxide (LPO) Colorimetric Assay Kit | E-BC-K176-M |

Product presentation

Malondialdehyde (MDA) Colorimetric Assay Kit (TBA Method) (E-BC-K025-M)

MDA is one of the final products of lipid peroxidation in cell membrane. TBA method is the classic principle for MDA determination.

TBA method


1) Product feature

Sample volume: 20 μL/well

□ Sample processing: Supernatant can be determined directly after homogenization

Reaction time: 40 min

② Application



Disease mechanisms

Sample type: rats hippocampal tissue

Resources: Messiha B , Ali M , Khattab M M , et al. Perindopril ameliorates experimental Alzheimer's disease progression: role of amyloid β degradation, central estrogen receptor and hyperlipidemic-lipid raft signaling[J]. Inflammopharmacology, 2020.

Protein oxidation

Protein oxidation is the oxidation of amino acid side chains by free radical to produce proteins containing carbonyl groups. Protein carbonyl is a biological indicator of oxidative stress, and the degree of protein oxidation can be estimated indirectly by measuring the content of protein carbonyl.


Carbonyl derivative structures produced by direct oxidation of amino acid side chains[6]

Protein oxidation kit

| Marker | Product Name | Cat# |
|------------------|-----------------------------------------|-------------|
| During College | Protein Carbonyl Colorimetric Assay Kit | E-BC-K117-M |
| Protein Carbonyl | Protein Carbonyl Colorimetric Assay Kit | E-BC-K117-S |

Product presentation

Protein Carbonyl Colorimetric Assay Kit (E-BC-K117-M)



Sample validation

Detect human plasma (dilute for 10 times, the concentration of protein in sample is 0.43 mgprot/mL), 10% rat liver tissue homogenate (dilute for 2 times, the concentration of protein in sample is 0.29 mgprot/mL), 10% mouse brain tissue homogenate (the concentration of protein in sample is 0.23 mgprot/mL) and HepG2 supernatant (the concentration of protein in sample is 0.35 mgprot/mL) according to the protocol.

PUBLICATIONS



| Marker | Cat# | Title |
|------------|----------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| SOD CAT | E-BC-K020-M E-BC-K031-M | Wan Q, Cao R, Wen G, et al. Sequential use of UV-LEDs irradiation and chlorine to disinfect waterborne fungal spores: Efficiency, mechanism and photoreactivation [J]. J Hazard Mater, 2021. |
| Fe | E-BC-K139-S | Pan C, Yan M, Jin H, et al. Chronic exposure to MC-LR increases the risks of microcytic anemia: Evidence from human and mice [J]. Environmental Pollution, 2021. |
| GSSG | E-BC-K097-S | Liu P, Yin Z, Chen M, et al. Cytotoxicity of adducts formed between quercetin and methylglyoxal in PC-12 cells [J]. Food Chem, 2021. |
| MDA | E-BC-K025-M | Liu Z, Liu X, Yang Q, et al. Neutrophil membrane-enveloped nanoparticles for the amelioration of renal ischemia-reperfusion injury in mice [J]. Acta Biomaterialia, 2020. |
| H_2O_2 | E-BC-K102-S | Yang Z, Wang J, Ai S, et al. Self-generating oxygen enhanced mitochondrion-targeted photodynamic therapy for tumor treatment with hypoxia scavenging [J]. Theranostics, 2019. |
| MPO | E-BC-K074-S | Yang Y, Yin B, Lv L, et al. Gastroprotective Effect Of Aucubin Against Ethanol-induced Gastric Mucosal Injury In Mice [J]. Life Sciences, 2017. |



| VC | E-BC-K034-S | Adhikari B, Adhikari M, Ghimiri B, at al. Cold plasma seed priming modulates growth, redox homeostasis and stress response by inducing reactive species in tomato (Solanum lycopersicum) [J]. Free Radical Biology and Medicine, 2020. |
|-----------------------------|----------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ROS | E-BC-K138-F | Rao M J, Xu Y T, Tang X M, et al. CsCYT75B1, a Citrus CYTOCHROME P450 Gene, Is Involved in Accumulation of Antioxidant Flavonoids and Induces Drought Tolerance in Transgenic Arabidopsis [J]. Antioxidants (Basel), 2020. |
| APX | E-BC-K353-S | Lee H Y, Back K. Melatonin induction and its role in high light stress tolerance in Arabidopsis thaliana [J]. Journal of Pineal Research, 2018. |
| ROS | E-BC-K138-F | Jabbari N, Nawaz M, Rezaie J. Ionizing Radiation Increases the Activity of Exosomal Secretory Pathway in MCF-7 Human Breast Cancer Cells: A PossibleWay to Communicate Resistance against Radiotherapy [J]. International Journal of Molecular Science, 2021. |
| GPx | E-BC-K096-S | Zhao Y, Wang T, Li P, et al. Bacillus amyloliquefaciens B10 can alleviate aflatoxin B1-induced kidney oxidative stress and apoptosis in mice [J]. Ecotoxicology Environmental Safety, 2021. |
| MDA | E-BC-K025-S | Moustafa A. Effect of Omega-3 or Omega-6 Dietary Supplementation on Testicular Steroidogenesis, Adipokine Network, Cytokines, and Oxidative Stress in Adult Male Rats [J]. Oxidative Medicine and Cellular Longevity, 2021. |
| GPx | E-BC-K096-S | Mohamad N, Ima-Nirwana S, Chin K. Therapeutic potential of annatto tocotrienol with self-emulsifying drug delivery system in a rat model of postmenopausal bone loss [J]. Biochemical & Pharmacotherapy, 2021. |
| NO CAT T-SOD TBARS | E-BC-K035-S E-BC-K031-S E-BC-K020-M E-BC-K298-M | Zhou D, Yang Q, Tian T, et al. Gastroprotective effect of gallic acid against ethanol-induced gastric ulcer in rats: Involvement of the Nrf2/HO-1 signaling and anti-apoptosis role [J]. Biochemical & Pharmacotherapy, 2021. |
| Flavonoids | E-BC-K284-S | Tong Y, Liu S Y, Yi S C, et al. Bruceine D, the main active ingredient of Brucea Javanica (L.) residue inhibits the germination of Bidens pilosa L. seeds by suppressing phenylpropanoid biosynthesis [J]. Industrial Crops & Products, 2021. |
| GSH MDA | E-BC-K030-M E-BC-K025-M | Mohammed R, Mahmoud K, Amira A, et al. Perindopril ameliorates experimental Alzheimer's disease progression: role of amyloid β degradation, central estrogen receptor and hyperlipidemic lipid raft signaling [J]. Inflammopharmacology, 2021. |

REFERENCES

- [1] Sharifi-Rad M , Kumar N V A , Zucca P , et al. Lifestyle, Oxidative Stress, and Antioxidants: Back and Forth in the Pathophysiology of Chronic Diseases[J]. Frontiers in Physiology, 2020, 2020(11):694.
- [2] D Stéphanie, S Séverine. The Protective Effect of Antioxidants Consumption on Diabetes and Vascular Complications[J]. Diseases, 2016, 4(4):24.
- [3] Mcelwee S K, Velasco A, Doppalapudi H. Mechanisms of Sudden Cardiac Death: Oxidants and Metabolism[J]. Journal of Nuclear Cardiology, 2016, 23(6):1368-1379.
- [4] D Salisbury, U Bronas. Reactive oxygen and nitrogen species: impact on endothelial dysfunction[J]. Nurs Res, 2015, 64(1): 53-66
- [5] A Ayala, M F Munoz, S Arguelles. Lipid peroxidation: production, metabolism, and signaling mechanisms of malondialdehyde and 4-hydroxy-2-nonenal[J]. Oxid Med Cell Longev, 2014, 2014: 360438
- [6] I Dalle-Donne, R Rossi, D Giustarini, et al. Protein carbonyl groups as biomarkers of oxidative stress[J]. Clinica Chimica Acta, 2003, 329(1-2): 23-38.

Elabscience®

PRODUCTS EXPLANATION





E-BC-K000-S

In which the letter "S" is the initial letter of the Spectrophotometer, on behalf of the applicable instrument is UV-visible Spectrophotometer.

ADVANTAGE:

Low operating cost;

Widely wavelength range;

High sensitivity.



E-BC-K000-M

In which the letter "M" is the initial letter of the Microplate, on behalf of the applicable instrument is Microplate reader.

ADVANTAGE:

Small sample volume;

Simple to operate;

Rapid detection.



microplate reader


E-BC-F000

In which the letter "F is the initial letter of the Fluorescence, on behalf of the applicable instrument is Fluorescence microplate reader.

ADVANTAGE:

High specificity and sensitivity;

Small sample volume.



The interrelationship of carbohydrate, lipid, protein and nucleic acid metabolism

Resources: Tang C Y, Claudio M. Similarities in the Metabolic Reprogramming of Immune System and Endothelium[J]. Frontiers in Immunology, 2017, 8.